

# 644-906<sup>Q&As</sup>

Implementing and Maintaining Cisco Technologies Using IOS XR

# Pass Cisco 644-906 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.pass4lead.com/644-906.html

100% Passing Guarantee 100% Money Back Assurance


Following Questions and Answers are all new published by Cisco
Official Exam Center


- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers





#### **QUESTION 1**






In this simulation, you will only have access to the PE7 and CE7 consoles Click on the PE7 and CE8 router icon to access the respective console




Point and Shoot:

# https://www.pass4lead.com/644-906.html


2022 Latest pass4lead 644-906 PDF and VCE dumps Download



#### Hot Area:



#### Correct Answer:



#### **QUESTION 2**

On a Cisco CRS, which statement is correct about what happens to the MSC if the associated PLIM is absent?

- A. The MSC boots up, but all egress packets from the switch fabric to this MSC will be dropped.
- B. The other PLIM in a different slot can utilize this MSC.
- C. The state of the MSC from the output of the command show platform would show as IOS XR RUN.
- D. The MSC does not boot up.

Correct Answer: D

#### **QUESTION 3**

Where is the LPTS policer applied?

- A. egress line-card egress queue
- B. egress line-card CPU



### https://www.pass4lead.com/644-906.html

2022 Latest pass4lead 644-906 PDF and VCE dumps Download

C. route processor CPU

D. distributed RP CPU

E. ingress line card

Correct Answer: E

#### **QUESTION 4**

A network administrator needs to configure a default IPv4 route for a Cisco CRS-1 router. Which Cisco IOS XR command will accomplish this task?

- A. RP/0/RSP0/CPU0:R15(config-static)#ip route 0.0.0.0 0.0.0.0 10.52.204.161
- B. RP/0/RSP0/CPU0:R15(config-static-afi)#0.0.0.0/0 10.52.204.161
- C. RP/0/RSP0/CPU0:R15(config)#router static 0.0.0.0/32 10.52.204.161
- D. RP/0/RSP0/CPU0:R15#ip default-network 0.0.0.0 10.52.204.161 255.255.255.255
- E. it is not possible to configure static routes in Cisco IOS XR Software

Correct Answer: B

#### **QUESTION 5**

Which is-is router interface configuration command will configure the authentication password for IS- IS Hello (IIH) messages without actually sending the password with the IIH over the network?

- A. hello-password text clear secretkey
- B. hello-password hmac-md5 clear secretkey
- C. hello-password text encrypted secretkey
- D. hello-password hmac-md5 encrypted secretkey

Correct Answer: B

644-906 PDF Dumps

644-906 Exam Questions

644-906 Braindumps



To Read the Whole Q&As, please purchase the Complete Version from Our website.

# Try our product!

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

**Instant Download After Purchase** 

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

https://www.pass4lead.com/allproducts

## **Need Help**

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:





Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © pass4lead, All Rights Reserved.