![Pass2Lead](https://Pass2Lead.com)
700-905^{Q&As}

700-905^{Q&As} → 700-905$^{Q\&As}$

Cisco HyperFlex for Systems Engineers

Pass Cisco 700-905 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass2lead.com/700-905.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco Official Exam Center

⚙ **Instant Download** After Purchase

⚙ **100% Money Back** Guarantee

⚙ **365 Days** Free Update

⚙ **800,000+** Satisfied Customers

QUESTION 1

A. creates hooks tor services related to third-party abstraction applications

B. does not perform caching, deduplication: and compression of data

C. an Ubuntu based VM running in the control space of each individual server, having linear access to the server\'s VMs and networking controls

D. needs network access to ESXi. other CVMs, and management network

E. is installed automatically by the HyperFlex installer, configured through the installer

Correct Answer: DE

QUESTION 2

Which three advantages of using the M5 generation of HyperFlex servers over the M4 generation are valid? (Choose three)

A. Support for Cisco VICs

B. Multiple GPUs

C. M.2 SATA drive support for faster disk I/O

D. DDR3 memory

E. Microsoft Hyper-V support

F. NVMe support

Correct Answer: CEF

QUESTION 3

When cabling a given HX node to the Fabric Interconnect which three actions are required? (Choose three.)

A. Connect the node to different port numbers on each of the two Fabric Interconnects.

B. Connect port 1 on the VIC to Fabric Interconnect A.

C. Connect server port L1 to Fabric Interconnect port L1.

D. Connect the node to the same port number on each of the two Fabric Interconnects.

E. Connect server port L2 to Fabric Interconnect port L2

![Pass2Lead](https://Pass2Lead.com)
F. Connect port 2 on the VIC to Interconnect B.

Correct Answer: BDF

QUESTION 4

How many PCIe standards-compliant interfaces do Cisco VICs support?

A. 512

B. 128

C. 256

D. 64

Correct Answer: C

QUESTION 5

HyperFlex virtual servers differ from regular servers in which two key areas? (Choose two.)

A. NVMe: Regular servers do not support NVMe drives for high availability.

B. No RAID is required to consolidate disks into a shared data platform.

C. CVM: Virtual appliance, which performs reading/writing, caching, deduplication, and compression.

D. SP: UCS Service Profiles are used to delineate MAC address pools from upstream networks.

E. CCC: Cisco Cloud Center is used for multi-cloud integration and seamless deployment.

Correct Answer: BC

[Latest 700-905 Dumps](https://www.pass2lead.com/700-905.html)   [700-905 PDF Dumps](https://www.pass2lead.com/700-905.html)   [700-905 Study Guide](https://www.pass2lead.com/700-905.html)