

# 7498X<sup>Q&As</sup>

Avaya Oceanalytics - Insights Integration and Support Exam

## Pass Avaya 7498X Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/7498x.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Avaya  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

Regarding Avaya Analytics™ 3.5, where is the ODI component installed?

- A. DB Server
- B. A dedicated server for ODI
- C. SS Server
- D. OBI Server

Correct Answer: D

Reference: <https://downloads.avaya.com/css/P8/documents/101051617> (54)

---

**QUESTION 2**

During the install process, you need to edit the parameters.conf file for the Oracle patches to be installed. Which new parameter is added in the parameters.conf file for the server installation?

- A. [COMPONENT\_NAME]\_PATCH\_NAME
- B. ORACLE\_DB\_INVENTORY\_LOCATION
- C. [COMPONENT\_NAME]\_ORACLE\_DB\_BASE
- D. [COMPONENT\_NAME]\_PATCH\_FILE\_NAME

Correct Answer: B

Reference: <https://downloads.avaya.com/css/P8/documents/101051617>

---

**QUESTION 3**

Which properties and cluster IPs are needed to verify the cluster IPs in the OSA server configuration file?

- A.  
  

```
OCEANA.activemq.url=ssl://X.X.X.X:61617 = Common Cluster IP  
OCEANA.ucm.rest.server.ip=X.X.X.X= Common Cluster IP  
OCEANA.uca.rest.server.ip=X.X.X.X= UAC Cluster IP
```

  

```
OCEANA.activemq.url=ssl://X.X.X.X:61617 = Common Cluster IP  
OCEANA.ucm.rest.server.ip=X.X.X.X= Common Cluster IP  
OCEANA.uca.rest.server.ip=X.X.X.X= ACM IP
```

B.

C.  
OCEANA.activemq.url=ssl://X.X.X.X:61617 = Common Cluster IP  
OCEANA.ucm.rest.server.ip=X.X.X.X= Common Cluster IP  
OCEANA.uca.rest.server.ip=X.X.X.X= Common Cluster IP

D.  
OCEANA.activemq.url=ssl://X.X.X.X:61617 = Common Cluster IP  
OCEANA.ucm.rest.server.ip=X.X.X.X= Common Cluster IP  
OCEANA.uca.rest.server.ip=X.X.X.X= OCP Cluster IP

D.  
Correct Answer: A

---

#### QUESTION 4

Which command is used to check and see if the DB listener has started and is listening on the default TCP port 1521 in the Oracle DB Server?

- A. # lsnrctl start
- B. # lspci status
- C. \$ lsnrctl status
- D. \$ lspci start

Correct Answer: C

Reference: [https://docs.oracle.com/cd/E11882\\_01/network.112/e41945/listenercfg.htm#NETAG306](https://docs.oracle.com/cd/E11882_01/network.112/e41945/listenercfg.htm#NETAG306)

---

#### QUESTION 5

Which script is used to install Analytics Service and with which user must you run this script?

- A. root, ./install\_analytics\_service.sh
- B. oracle, ./install\_Analytics\_Service.sh
- C. oracle, ./install\_analytics\_service.sh
- D. root, ./ analytics\_service.sh

Correct Answer: A

Reference: <https://downloads.avaya.com/css/P8/documents/101051617> (67)

---

[7498X PDF Dumps](#)

[7498X Practice Test](#)

[7498X Braindumps](#)