

9A0-384^{Q&As}

Adobe Experience Manager 6 Developer Exam

Pass Adobe 9A0-384 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/9a0-384.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Adobe
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

What is the optimal way to check-out content from the JCR repository to the local file system?

- A. Use VLT export command.
- B. Create and build a package using CQ Package manager. Download and unzip the package in the local file system.
- C. Use VLT import command.
- D. Download content from the repository as an XML file.

Correct Answer: C

http://docs.adobe.com/docs/en/cq/5-6-1/core/how_to/how_to_use_the_vlttool.html

QUESTION 2

You are logged in as userA and you are impersonating userB. How are your activities logged in the access.log?

- A. The logged userId is "userB impersonated by userA"
- B. The logged userId is "userA on behalf of userB"
- C. The logged userId is "userB"
- D. The logged userId is "userA"

Correct Answer: C

QUESTION 3

Which template allowed Paths expression would allow a page to be created with the path/ content / main / page1/ page2?

- A. /content/main/?
- B. /content/main/[^]+(/,*)?
- C. /content/main/[A]+[A/]
- D. /content/main/*

Correct Answer: C

<http://docs.adobe.com/docs/en/cq/5-6-1/developing/templates.html>

QUESTION 4

How do you disable the "Target" context menu item on components in AEM 6.0?

- A. Set the property "cq:disable Targeting" to true on the dialog node.
- B. Set the property "cq:disable Targeting" to true on thecomponent node.
- C. Set the property "cq:disable Targeting" to true on the cq:editConfig node.
- D. Set the property "cq:disable Targeting" to true on thecq:editConfig/cq:listeners node.

Correct Answer: C

<http://docs.adobe.com/docs/en/cq/5-6-1/developing/components.html>

QUESTION 5

The default installation location for AEM 6.0 in an Application Server is \${user.dfr}/crx-quickstart. Which method is used to change this location?

- A. Configure the sling.home parameter in the WEB-INF/web.xml file of the AEM WAR file after deployment.
- B. Configure the sling.home parameter in the WEB-INF/web.xml file of the AEM WAR file before deployment.
- C. Configure the sling.run.modes parameter in the WEB-INF/web.xml file of the AEM WAR file after deployment,
- D. Configure the sling.run.modes parameter in the WEB-INF/web.xml file of the AEM WAR file before deployment.

Correct Answer: A

http://docs.adobe.com/docs/en/cq/5-6-1/getting_started/download_and_startworking.html

[9A0-384 VCE Dumps](#)

[9A0-384 Study Guide](#)

[9A0-384 Braindumps](#)