

A00-270^{Q&As}

SAS BI Content Development

Pass SASInstitute A00-270 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/a00-270.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by SASInstitute
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

Which item type can be used only once in an information map?

- A. Stored Process
- B. Table
- C. Prefilter
- D. Prompted Filter

Correct Answer: C

QUESTION 2

Which data sources can be used to create reports and analysis using SAS Web Report Studio? (Choose two.)

- A. SAS Information Map
- B. SAS OLAP cube
- C. SAS Stored Process
- D. SAS table

Correct Answer: AC

QUESTION 3

In SAS Information Map Studio, where can you set the Initial Creation Rule for relationships between data sources?

- A. Resources pane
- B. Options window
- C. Properties pane
- D. Design tab

Correct Answer: B

QUESTION 4

Which SAS applications can be used to create data sources for reporting and analysis using the SAS platform applications? (Choose two.)

- A. SAS Enterprise Guide

- B. SAS Information Delivery Portal
- C. SAS Information Map Studio
- D. SAS Web Report Studio

Correct Answer: AC

QUESTION 5

At 1:00 PM, User A schedules the "Budget" report to run NOW in SAS Web Report Studio. At 2:00 PM, User B attempts to distribute by email the same "Budget" report to run NOW.

Which statement is true?

- A. The distribution task overwrites the schedule options.
- B. User B's distribution task emails the results of User A's schedule without having to rerun the report.
- C. User B needs to set the objects on the report to be independent to prevent overwriting User A's output.
- D. User A and User B's actions do not affect one another.

Correct Answer: D

[Latest A00-270 Dumps](#)

[A00-270 Practice Test](#)

[A00-270 Exam Questions](#)