

C2040-986^{Q&As}

Creating IBM Lotus Notes and Domino 8.5 Applications with Xpages and Advanced Techniques

Pass IBM C2040-986 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/c2040-986.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

DJ is developing his first Lotus Domino application. He wants to show a particular set of data to unauthenticated users and provide additional data to authenticated users. Which of the following can DJ use to determine whether the user is authenticated or not?

- A. @WebName to get the current user's name
- B. @UserName, which returns "Anonymous" for unauthenticated users
- C. @IsAuthenticated to determine if the user is authenticated or not
- D. @WebUserName, which returns an empty string ("") when a user is not authenticated

Correct Answer: B

QUESTION 2

Which one of the following programming languages or language combinations can be used to build an agent that retrieves data from non-Domino servers over the Internet?

- A. Java
- B. JavaScript
- C. LotusScript in combination with C
- D. This task is not possible using a Web agent.

Correct Answer: A

QUESTION 3

Donna wants to navigate to a panel in her XPage. Which area would she use?

- A. The Applications view
- B. The Outline view
- C. The Properties view
- D. The Controls view

Correct Answer: B

QUESTION 4

In his XPage stock application, Michael needs the ability, to view and update the properties of goods at several places within the application. Hence, he has developed a custom control for viewing or editing items. Now he wants to select

the users that are allowed to change the entries. How can he achieve this task?

- A. With custom controls, access is not controllable individually. Michael has to do it at the XPages level.
- B. Michael can define the groups or people with different access with the ACL that is associated with a custom control.
- C. With XPages, there is no specific access control functionality. Michael has to use the Application ACL to control access.
- D. To get that functionality, Michael has to define a second custom control, which encapsulates just the access functionality. Then, he has to group together both custom controls and put this group into the main XPage.

Correct Answer: B

QUESTION 5

Juan is integrating an XPage application with his existing company intranet and wants to pull values from cookies. What server-side JavaScript code allows him to access cookies?

- A. `facesContext.getHeader("Cookie")`
- B. `facesContext.getExternalContext().getCookie()`
- C. `facesContext.getExternalContext().getRequest().getHeader("Cookie")`
- D. `facesContext.getExternalContext().getRequest().getCookie()`

Correct Answer: C

[Latest C2040-986 Dumps](#)

[C2040-986 VCE Dumps](#)

[C2040-986 Study Guide](#)