

C2150-197^{Q&As}

IBM Security Identity Manager V6.0 Implementation

Pass IBM C2150-197 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/c2150-197.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

What is the default location for the Tivoli Common Reporting Pack?

- A. /reporting
- B. /jdbc/lib/data
- C. /opt/reporting
- D. /extensions/6.0/tcr

Correct Answer: D

Reference: <http://www-01.ibm.com/support/docview.wss?uid=swg21637885>

QUESTION 2

Which trace settings would offer the most information when debugging a reconciliation failure?

- A. Remote services, policy and script at DEBUG_MAX
- B. Remoteservices and policy at DEBUG_MAX
- C. Logger.trace.level at DEBUG_MAX
- D. Remoteservices at DEBUG_MAX

Correct Answer: C

QUESTION 3

The client's IBM Security Identity Manager (ISIM) production environment consists of a two node IBM Websphere Application cluster. Server #1 has the Websphere Deployment Manager installed as well as one of the cluster nodes. Server #2 in the cluster just has the node installed. If a process monitor is being configured on Server #1 how many Java processes are there related just to Websphere?

- A. 4 - Deployment Manager process, Node process, Application Server process, Messaging Server process
- B. 1- Deployment Manager and Node processes run under a single Java process
- C. 3 - Deployment Manager process, Node process, Application Server process
- D. 2 - Deployment Manager process and Node process

Correct Answer: D

QUESTION 4

What special consideration needs to be taken when loading xhtml labels into a custom labels file?

- A. Escape characters need to be used for tag characters such as "("
- B. No more than 255 characters can be used per label
- C. Closing tags are no longer needed ()
- D. Each entry must contain a tag

Correct Answer: C

QUESTION 5

Which of the following is a best practice high availability setup of LDAP for use with IBM Security Identity Manager?

- A. Two read/write master LDAPs with load balancer between them to distribute requests and I SIM configured to point at the load balancer
- B. Two read/write master LDAPs configured in fail over mode with load balancer and ISIM configured to point at the load balancer
- C. One master and one replica LDAP with ISIM configure to the master LDAP
- D. Separate read/write master LDAP for each node of an ISIM cluster

Correct Answer: D

Reference:

<https://www.ibm.com/developerworks/community/wikis/home/wiki/Tivoli%20Identity%20Manager/page/Setting%20up%20HA%20and%20DR%20environments%20for%20ITIM%205.x,%20ISIM%206,%20and%20ISIM%207%20VA?lang=en>

Setting%20up%20HA%20and%20DR%20environments%20for%20ITIM%205.x,%20ISIM%206,%20and%

20ISIM%207%20VA?lang=en

[C2150-197 VCE Dumps](#)

[C2150-197 Practice Test](#)

[C2150-197 Study Guide](#)