

C6030-042^{Q&As}

Developing with IBM Enterprise PL/I

Pass IBM C6030-042 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass2lead.com/c6030-042.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

😳 365 Days Free Update

800,000+ Satisfied Customers





QUESTION 1

Which of the following compile list sections would be used to find the location of a static variable in a dump?

- A. Attribute/Xref Table
- B. Source Listing
- C. Table of Offsets and Statement Numbers
- D. Storage Offset Listing

Correct Answer: D

QUESTION 2

A mainframe project is behind schedule and a project leader has only one copy of a PC-based PL/I compiler available for distribution to team members who are all eager to use it. Optimally, to whom should it be provided first?

- A. The person in the critical path
- B. The person who does the most PL/I development
- C. The person who makes the greatest demand
- D. The project leader and her manager

Correct Answer: A

QUESTION 3

What happens after executing the following code, assuming the input file has more than 1 record?

DCL INPFILE FILE RECORD INPUT ENV(VB RECSIZE(100)); DCL P PTR; DCL B CHAR(100) VARYING

BASED(P);

DCLC CHAR(110) VARYING BASED(P);

READ FILE(INPFILE) SET(P);

C=B!! \\'EXTENDED

- READ FILE(INPFILE) SET(P);
- A. Two records are read.
- B. The results are unpredictable.
- C. Protection exception because of the reference to B.



D. ENDFILE condition is raised on the second read.

Correct Answer: B

QUESTION 4

Given the following code, which condition would be raised first (if ENABLED)?

- DCL A(50000) CHAR (8);
- DCL I BIN FIXED (31);
- DCL J BIN FIXED (15);
- DCI = 1 TO 100_000;

J = I;

 $\mathsf{A}(\mathsf{J})=\mathsf{I};$

END;

A. SIZE

- **B. FIXEDOVERFLOW**
- C. SUBSCRIPTRANGE
- D. CONVERSION
- Correct Answer: A

QUESTION 5

An online, non-conversational main program (for CICS or IMS) contains all of the logic for a one- screen (MAP or FORMAT) application. Which of the following will NOT be required?

- A. Code that opens all needed databases
- B. Code which does all necessary initializations
- C. Code which determines the situation to be applied for the current program execution
- D. Code for each situation

Correct Answer: A

Latest C6030-042 Dumps

C6030-042 PDF Dumps

C6030-042 VCE Dumps