

CAT-100^{Q&As}

CA Application Performance Management Professional Exam

Pass CA CAT-100 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/cat-100.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by CA Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

What is the name of the .jar file containing the CLW?

- A. CLW.jar
- B. CLWorkstation.jar
- C. CommandLine.jar
- D. CommandLineWorkstation.jar

Correct Answer: B

QUESTION 2

CA Introscope holds historical data in multiple tiers. What is a characteristic of data held in Tier 1?

- A. Is used in reporting
- B. Is used for incident analysis
- C. Is used in capacity planning
- D. Is older and configured for lower resolutions

Correct Answer: B

QUESTION 3

For reporting purposes, data from Transaction Impact Monitors (TIMs) is aggregated daily. By default, this occurs at:

- A. noon
- B. 9:00 AM
- C. 3:00 AM
- D. midnight

Correct Answer: D

QUESTION 4

Which step do you need to perform before you install CA Introscope ChangeDetector?

- A. Stop all Enterprise Managers in your system.
- B. Verify that you are using CA Introscope 9.0 or newer.

- C. Set the ChangeDetector properties in IntroscopeAgent.profile.
- D. Identify the , , and directories for CA Introscope.

Correct Answer: D

QUESTION 5

Which information can you view using the Summary View tab of the CA Introscope Transaction Tracer? (Choose three)

- A. Color codes, which indicate call durations
- B. The number of times a URL was accessed
- C. The number of milliseconds to complete the call
- D. The number of milliseconds required for the fastest call completion
- E. The number of transaction components affected, shown using a hierarchical format

Correct Answer: BCD

[Latest CAT-100 Dumps](#)

[CAT-100 Practice Test](#)

[CAT-100 Exam Questions](#)