

E20-007^{Q&As}

Data Science and Big Data Analytics

Pass EMC E20-007 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/e20-007.html>

100% Passing Guarantee
100% Money Back Assurance


Following Questions and Answers are all new published by EMC
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

Refer to the exhibit.



In the exhibit, a correlogram is provided based on an autocorrelation analysis of a sample dataset. What can you conclude from only this exhibit?

- A. There is significant autocorrelation through lag 3
- B. There is no structure left to model in the data
- C. Lag 7 has a significant negative autocorrelation
- D. Differencing is required before proceeding with any analysis

Correct Answer: A

QUESTION 2

What describes a true limitation of Logistic Regression method?

- A. It does not handle missing values well.
- B. It does not handle redundant variables well.
- C. It does not handle correlated variables well.
- D. It does not have explanatory values.

Correct Answer: A

QUESTION 3

Which word or phrase completes the statement? A data warehouse is to a centralized database for reporting as an analytic sandbox is to a _____?

- A. Collection of data assets for modeling
- B. Collection of low-volume databases
- C. Centralized database of KPIs
- D. Collection of data assets for ETL

Correct Answer: A

QUESTION 4

What is a core deliverable at the end of the analytic project?

- A. An implemented database design
- B. A whitepaper describing the project and the implementation
- C. A presentation for project sponsors
- D. The training materials

Correct Answer: C

QUESTION 5

When would you use GROUP BY ROLLUP clause in your OLAP query?

- A. where all subtotals and grand totals are to be included in the output
- B. where only the subtotals are to be included in the output

C. where only the grand totals are to be included in the output

D. where only specific subtotals and grand totals for a combination of variables are to be included in the output

Correct Answer: A

[Latest E20-007 Dumps](#)

[E20-007 Practice Test](#)

[E20-007 Exam Questions](#)