

E20-340^{Q&As}

Clariion solutions implementation

Pass EMC E20-340 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/e20-340.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by EMC
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

A customer is using MV/A in a remote data center to protect a LUN. They also use the same source LUN for an ISC job to distribute the content of their parts catalogue to 27 regional offices.

What is the maximum number of snapshots of the source LUN they can take if they need to use a SnapView Recovery Session?

- A. 5
- B. 8
- C. 7
- D. 6

Correct Answer: A

QUESTION 2

What is used to identify the array when first starting the Unisphere Initialization Utility?

- A. Serial number of the array
- B. WWN seed of the SPE
- C. IP address of the service port
- D. Serial number of the management module

Correct Answer: A

QUESTION 3

A SAN administrator has just received a request to free storage for new servers. In Unisphere all hosts have been disconnected from the storage group. However, they still receive an error when attempting to destroy the storage group. What is the cause?

- A. Not all SAN Copy connections have been removed.
- B. Not all LUNs have been removed.
- C. Not all snapshots have been removed.
- D. All LUNs have been trespassed.

Correct Answer: A

QUESTION 4


When working with FLARE 30, which tool is required when upgrading FLARE or performing a DAE upgrade?

- A. Unisphere Service Manager
- B. Unisphere Server Utility
- C. Unisphere Initialization Utility
- D. NDU Upgrade Tool

Correct Answer: A

QUESTION 5

Refer to the exhibit.



A customer has a two-fabric SAN with hosts and a single CX4-480 cabled redundantly to both switches. SPA port 0 is plugged in to port 0 of Switch A. According to EMC best practice, which SP port should be plugged in to port 0 of Switch B?

- A. A1
- B. B0
- C. B1

D. A2

Correct Answer: A

[E20-340 VCE Dumps](#)

[E20-340 Exam Questions](#)

[E20-340 Braindumps](#)