

E20-377^{Q&As}

RecoverPoint/SE Specialist Exam for Implementation Engineers

Pass EMC E20-377 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/e20-377.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by EMC
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

While implementing a new Symmetrix solution, the customer requests that five new hosts be added to the project. This is outside the scope of the project.

Which step needs to be taken?

- A. Ask the account executive to modify the statement of work.
- B. Implement the new hosts as requested by the customer
- C. Notify the project manager to create a change request
- D. Notify the solution architect to redesign the solution

Correct Answer: C

QUESTION 2

Which document should a EMC customer consult if there are questions about a system design during an SRDF/A engagement?

- A. Configuration Guide
- B. Level of Effort
- C. Practitioner's Guide
- D. Scope Document

Correct Answer: A

QUESTION 3

In order for thin provisioning to work, what should also be done in addition to providing thin and data (thin pool) devices?

- A. The thin devices must be bound to a group of data devices called a thin pool.
- B. A unique thin pool must be created for each application that needs to use them.
- C. The thin pool devices must be mapped and masked to the host ports that need to see them.
- D. The thin pool must be defined as CDEVs in the bin before they can be put in a pool.

Correct Answer: A

QUESTION 4

An SRDF failover has been executed during the testing phase of an implementation. What is the expected status of the R1 and R2 devices after performing SRDF failover operation?

- A. R1 and R2 Not Ready
- B. R1 Wnte Disabled; R2 Read/Wnte
- C. R1 Read/Wnte, R2 Read/Wnte
- D. R1 Read/Wnte. R2 Wnte Disabled

Correct Answer: B

QUESTION 5

Which device types are used when using SMC to create devices for virtual Provisioning?

- A. Thin and Save
- B. Data and Save
- C. Standard and thin
- D. Thin and Data

Correct Answer: D

[E20-377 Practice Test](#)

[E20-377 Study Guide](#)

[E20-377 Exam Questions](#)