

FCNSA.V5^{Q&As}

Fortinet Certified Network Security Administrator (FCNSA.v5)

Pass Fortinet FCNSA.V5 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.pass2lead.com/fcnsa-v5.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Fortinet Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

- 😳 365 Days Free Update
- 800,000+ Satisfied Customers





QUESTION 1

A client can establish a secure connection to a corporate network using SSL VPN in tunnel mode.

Which of the following statements are correct regarding the use of tunnel mode SSL VPN? (Select all that apply.)

A. Split tunneling can be enabled when using tunnel mode SSL VPN.

B. Client software is required to be able to use a tunnel mode SSL VPN.

C. Users attempting to create a tunnel mode SSL VPN connection must be authenticated by at least one SSL VPN policy.

D. The source IP address used by the client for the tunnel mode SSL VPN is assigned by the FortiGate unit.

Correct Answer: ABCD

QUESTION 2

Which of the following statements are correct regarding logging to memory on a FortiGate unit? (Select all that apply.)

A. When the system has reached its capacity for log messages, the FortiGate unit will stop log- ging to memory.

B. When the system has reached its capacity for log messages, the FortiGate unit overwrites the oldest messages.

C. If the FortiGate unit is reset or loses power, log entries captured to memory will be lost.

D. None of the above.

Correct Answer: BC

QUESTION 3

- A FortiGate unit can act as which of the following? (Select all that apply.)
- A. Antispam filter
- B. Firewall
- C. VPN gateway
- D. Mail relay
- E. Mail server

Correct Answer: ABC



QUESTION 4

Which of the following items represent the minimum configuration steps an administrator must perform to enable Data Leak Prevention for traffic flowing through the FortiGate unit? (Select all that apply.)

- A. Assign a DLP sensor in a firewall policy.
- B. Apply one or more DLP rules to a firewall policy.
- C. Enable DLP globally using the config sys dlp command in the CLI.
- D. Define one or more DLP rules.
- E. Define a DLP sensor.
- F. Apply a DLP sensor to a DoS sensor policy.

Correct Answer: ADE

QUESTION 5

Which Fortinet products and features could be considered part of a comprehensive solution to monitor and prevent the leakage of senstive data? (Select all that apply.)

- A. Archive non-compliant outgoing e-mails using FortiMail.
- B. Restrict unofficial methods of transferring files such as P2P using Application Control lists on a FortiGate.
- C. Monitor database activity using FortiAnalyzer.
- D. Apply a DLP sensor to a firewall policy.
- E. Configure FortiClient to prevent files flagged as sensitive from being copied to a USB disk.

Correct Answer: ABD

FCNSA.V5 PDF Dumps

FCNSA.V5 Study Guide FCNSA.V5 Exam Questions