

FM0-305^{Q&As}

Developer Essentials for FileMaker 11

Pass FileMaker FM0-305 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/fm0-305.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by FileMaker
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1


Which two features require indexing in order to work? (Choose two.)

- A. List function
- B. Dynamic subsummary reports
- C. Autocomplete using existing values
- D. Dynamic value lists based on FileMaker tables
- E. Add Leading Group by in Table View

Correct Answer: CD

QUESTION 2

A new database is created with two tables, Client and Contracts. The only modification made on the Relationships Graph is to establish a relationship between them which is set to delete related records in Contracts when a record in Client is deleted.



What happens when the Client table occurrence is deleted from the Relationships Graph?

- A. Since it is the only occurrence of the Client table on the graph, it can not be deleted.
- B. Any records in the Contracts table that were related to matching Client records are deleted.
- C. The formula in the calculation field Name Full (defined as Name First and " " and Name Last) will be broken.
- D. Any records in the Contracts table that were related to matching Client records will have values in the Client ID field deleted.

Correct Answer: C

QUESTION 3

Which formula returns "052010" given a date field myDate that contains the date May 20, 2010?

- A. Month (myDate) and "" and Year (myDate)
- B. Date (Month (myDate) "" Year (myDate))
- C. Right ("0" and Month (myDate) 2) and "" and Year (myDate)
- D. Let ([d = GetAsText (myDate) m = Month (d) y = Year (d)] m and "" and y)

Correct Answer: C

QUESTION 4

A FileMaker Pro 11 file named Arctic has Require full access privileges to create references to this file checked. Arctic has also authorized a file named Pacific. After Pacific has been authorized, the owner of Pacific makes a clone of the file and provides it to another developer.

How can the owner of Arctic remove authorization from the clone of Pacific and still allow the original Pacific to reference Arctic?

- A. in the clone of Pacific, Deauthorize the Arctic file
- B. in Arctic, Deauthorize Pacific and then Authorize Pacific again
- C. clones of files do not inherit authorizations no additional steps required
- D. in Arctic, Deauthorize the new Authorization ID that appears after the first time the clone references Arctic

Correct Answer: B

QUESTION 5

Given Table A in File A, which condition allows access to Table A while using another file called File B?

- A. File B must be opened and cascade its account credentials to File A.
- B. File A and File B must have an account with the same name and password.
- C. The privilege set associated with the account that is logged into File A must allow access to the records in Table A.
- D. The privilege set associated with the account that is logged into File B must allow access to the records in Table A.

Correct Answer: C

[Latest FM0-305 Dumps](#)

[FM0-305 Practice Test](#)

[FM0-305 Exam Questions](#)