

# HP0-J65<sup>Q&As</sup>

Designing HP SAN Networking Solutions

## Pass HP HP0-J65 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.pass2lead.com/hp0-j65.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



### https://www.pass2lead.com/hp0-j65.html

2024 Latest pass2lead HP0-J65 PDF and VCE dumps Download

#### **QUESTION 1**

Your customer with a limited budget has a requirement for a storage array that will connect Apple Mac clients, Windows 2003, HP-UX, Linux, and VMWare ESX servers. Which array do you recommend?

- A. EVA6100
- B. MSA2012fc
- C. EVA4400
- D. MSA2012i

Correct Answer: C

#### **QUESTION 2**

You are discussing an EVA 8100 Storage Array with a customer and he asks which services are included. What you tell him?

- A. HP configuration and startup
- B. HP business critical services
- C. HP Care Pack
- D. HP Installation and startup

Correct Answer: D

#### **QUESTION 3**

You are planning a SAN solution for Your customer. What is the most important SAN design consideration?

- A. Define a disaster recovery plan.
- B. Determine the customer\\'s business and IT requirements.
- C. Determine the hardware requirements for the customer\\'s most critical business application.
- D. Use devices from a single vendor.

Correct Answer: B

#### **QUESTION 4**

Which fabric rules are valid in a homogeneous SAN environment? (Select two.)

A. Routing must be configured manually if switches from different vendors are present in the same fabric.



https://www.pass2lead.com/hp0-j65.html 2024 Latest pass2lead HP0-J65 PDF and VCE dumps Download

B. All switches in a fabric must have a unic	que domain ID.				
<ul><li>C. At installation time, the time service must be started and synchronized.</li><li>D. All switches in a fabric must have zoning configured.</li><li>E. A domain ID of 8 is not valid; this is reserved for HP-UX.</li></ul>					
			Correct Answer: BE		
QUESTION 5					
An HP customer has a 16 node SAN. The enabled zoning configuration consists of only 1 zone with 12 members in it. The other 4 nodes communicate with members.					
A. 16					
B. 0					
C. 4					
D. 12					
Correct Answer: B					
HP0-, I65 PDF Dumps	HP0-J65 VCF Dumps	HP0-J65 Study Guide			