

I10-002^{Q&As}

XML Master: Professional V2

Pass XML Master I10-002 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/i10-002.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by XML Master
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

Push the Exhibit Button to load the referenced "XML Document".

```
[XML Document]
<Unfinished xmlns="urn:xlmaster:UNFINISHED">
  <Item>
    <Worker xmlns="urn:xlmaster:WORKER"
Name="Jeff Workman"/>
    <Activity xmlns="urn:xlmaster:VISIT"
Code="0002">
      <DateTime>2004-07-01 13:00</DateTime>
      <Job Procedure="Install air conditioner"
Time="2"/>
      <Status>WAITING</Status>
    </Activity>
  </Item>
  <Item>
    <Worker xmlns="urn:xlmaster:WORKER" Name="Jim
Worker"/>
    <Activity xmlns="urn:xlmaster:VISIT"
Code="0003">
      <DateTime>2004-07-01 16:00</DateTime>
      <Job Procedure="Clean air conditioner"
Time="2"/>
      <Status>WAITING</Status>
    </Activity>
  </Item>
</Unfinished>
```

When processing the "XML Document" according to the method shown by "DOM Processing," which of the following is the most appropriate expression of the results under XML 1.0? Line feeds and/or indents are not reflected in the results. Assume that the processed XML Document has no indents (ignorable white space such as line feeds, tabs, etc.).

[DOM Processing]

Create XML using the following method.

```
Document output = createXML( doc, impl );
```

The variable doc here references the Document instance of the loaded XML Document.

The variable impl here references the DOMImplementation instance.

The DOM parser is namespace aware.

Assume no execution errors.

```
public static Document createXML( Document doc, DOMImplementation impl ) {
    String name = "Jim Worker";

    Document output = impl.createDocument(
        "urn:xmlmaster:LIST", "List", null);
    Element root = output.getDocumentElement();

    NodeList nl = doc.getElementsByTagNameNS("urn:xmlmaster:WORKER", "Worker");
    for (int i = 0; i < nl.getLength(); i++) {
        Element e1 = (Element)nl.item(i);
        if (e1.getAttribute("Name").equals(name)) {
            Element elem = output.createElementNS(
                "urn:xmlmaster:LIST", "VisitList");
            root.appendChild(output.importNode(e1, true));
            Element e2 = (Element)e1.getNextSibling();
            root.appendChild(output.importNode(e2, true));
        }
    }
    return output;
}
```

- A. 2004-07-01 16:00 WAITING
- B. 2004-07-01 16:00 WAITING
- C. C. 2004-07-01 16:00 WAITING
- D. D.D. 2004-07-01 16:00 WAITING

Correct Answer: C

QUESTION 2

Under the SAX specification, which of the following is a method for determining whether to validate a document with the SAX parser?

- A. Use the getFeature method of XMLReader interface to look up the feature value under the name "http://xml.org/sax/features/validation"
- B. Use the parse method of XMLReader interface to investigate whether an error occurs
- C. Use the parseWithValidating method of XMLReader interface
- D. Use the isValidatingParser method of XMLReader interface

Correct Answer: A

QUESTION 3

Which of the following does not correctly describe WSDL (WSDL 1.1)?

- A. Under the WSDL definition, you can use the import element to import another WSDL definition
- B. You do not need to specify a binding element when creating a WSDL definition
- C. When a service operation is a "One-way" type, you can specify a fault element to designate the error message type as the child element of the operation element within the portType element
- D. When a service operation is a "Request-response" type, you can specify a fault element to designate the error message type as the child element of an operation element within the portType element

Correct Answer: C

QUESTION 4

Which of the following is incorrect with respect to XML?

- A. An XML document features high data readability
- B. An XML document can be transmitted over general-use protocols such as HTTP and SMTP
- C. XML is designed with the ideal structure for storage in an RDB (relational database)
- D. Some RDBs (relational databases) can output results data in XML format

Correct Answer: C

QUESTION 5

Process the following "XML Document" according to the method shown by "DOM Processing," and output "article" (by print method). Select which of the following correctly describes what should be in (1) for "DOM Processing"

```
[XML Document]
<content>article</content>
```

```
[DOM Processing]
```

```
Process XML using the following method.
```

```
    printXML( doc );
```

```
The variable doc here references the Document instance of the loaded XML document.
```

```
public static void printXML( Document doc ) {
    Element content = doc.getDocumentElement();
    System.out.print( -----(1)----- );
}
```

- A. content.getText()
- B. content.getNodeValue()
- C. content.getChildNode().getNodeValue()
- D. content.getFirstChild().getNodeValue()

Correct Answer: D

[I10-002 Practice Test](#)

[I10-002 Study Guide](#)

[I10-002 Exam Questions](#)