

# JN0-201<sup>Q&As</sup>

Juniper networks Certified internet associate.m(jncia-m)

## Pass Juniper JN0-201 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/jn0-201.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

What is the purpose of the OSPF hello packet?

- A. acknowledges the receipt of update packets
- B. establishes and maintains neighbor relationships
- C. advertises reachable networks
- D. describes the contents of the link-state database

Correct Answer: B

---

**QUESTION 2**

Given the following policy:

```
policy-statement limit-cust { from { route-filter 10.0.0.0/8 orlonger reject;
```

```
route-filter 10.0.55.0/24 orlonger;
```

```
route-filter 10.0.0.0/16 orlonger accept;
```

```
route-filter 0.0.0.0/0 through 0.0.0.0/32 { metric 5; accept; } } then { metric 10; accept; }
```

What happens to the route 10.0.56.0/24?

- A. The route is accepted.
- B. The metric is set to 10, and the route is accepted.
- C. The metric is set to 5, and the route is accepted.
- D. The route is rejected.

Correct Answer: A

---

**QUESTION 3**

What are two ways that a valid IBGP peering session can be configured? (Choose two.)

- A. via remote loopbacks with the local-address command
- B. via the acceptx.x/y command
- C. via UDP with the neighborx.x.x.x command at the group level
- D. via TCP reachable physical interface addresses

Correct Answer: AD

---

**QUESTION 4**

Which OSPF router will advertise a Type 2 network LSA for a broadcast network segment?

- A. ASBR router
- B. ABR
- C. DRother router
- D. DR

Correct Answer: D

---

**QUESTION 5**

What are three characteristics of RIPv2? (Choose three.)

- A. uses Hello Protocol for neighbor discovery
- B. supports Kerberos authentication
- C. supports VLSM
- D. multicasts messages to RIP neighbors
- E. is backward compatible with RIPv1

Correct Answer: CDE

[Latest JN0-201 Dumps](#)

[JN0-201 VCE Dumps](#)

[JN0-201 Braindumps](#)