

JN0-343^{Q&As}

Juniper Networks Certified Internet Specialist (JNCIS-ENT)

Pass Juniper JN0-343 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/jn0-343.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

Which two BGP message types are valid? (Choose two.)

- A. refresh
- B. acknowledge
- C. keepalive
- D. withdraw

Correct Answer: AC

QUESTION 2

On which interface would an IP address be configured for a routed VLAN interface?

- A. ge-0/0/20.100
- B. vlan.100
- C. rvi.100
- D. I3-interface.100

Correct Answer: B

QUESTION 3

How does a Level 1 IS-IS router reach destinations outside its own area?

- A. through the closest Level 1 router
- B. along the best path to the destination
- C. through the closest Level 1/2 router
- D. through the closest designated intermediate system (DIS)

Correct Answer: C

QUESTION 4

In the Junos OS, which attribute is used before the AS path in the BGP selection algorithm?

- A. highest local preference
- B. lowest local preference

C. lowest MED

D. weight

Correct Answer: A

QUESTION 5

-- Exhibit ?

```
[master:0][edit virtual-chassis]
user@switch# show
preprovisioned;
member 0 {
    role routing-engine;
    serial-number BM0208105168;
}
member 1 {
    role line-card;
    serial-number DM0200124111;
}
member 2 {
    role routing-engine;
    serial-number BM0208124231;
}
member 3 {
    role line-card;
    serial-number BM0208124333;
}
```

-- Exhibit -

Referring to the exhibit, if all four switches in the Virtual Chassis boot at the same time, which of the members will assume the master and the backup Routing Engine roles?

- A. Member 0 will be the master and Member 2 will be the backup based on the serial number.
- B. Member 2 will be the master and Member 0 will be the backup based on the serial number.
- C. Member 0 and Member 2 will participate in an election process to determine the master and the backup.
- D. The configuration is missing a priority statement to make the determination.

Correct Answer: C