

# JN0-690<sup>Q&As</sup>

Junos Troubleshooting

## Pass Juniper JN0-690 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/jn0-690.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

A client has reported that they cannot establish an FTP connection to your Junos device. Which command would you use to diagnose the problem?

- A. show interfaces terse
- B. monitor interface traffic
- C. monitor traffic interface
- D. show interfaces extensive

Correct Answer: C

---

**QUESTION 2**

Which three steps are involved in troubleshooting any problem? (Choose three.)

- A. Reboot the device.
- B. Clearly define the problem.
- C. Outline the expected behavior.
- D. Determine who made the changes.
- E. Isolate the problem.

Correct Answer: BCE

---

**QUESTION 3**

Click the Exhibit button.

-- Exhibit -user@R1> show configuration interfaces

```
xe-1/1/0 {  
  unit 0 {  
    family inet {  
      address 17.1.1.1/24;  
    }  
    family mpls;  
  }  
}
```

```
}  
user@R1> ping 17.1.1.2 size 1473 do-not-fragment  
PING 17.1.1.2 (17.1.1.2): 1473 data bytes  
ping: sendto: Message too long  
ping: sendto: Message too long  
ping: sendto: Message too long  
user@R1> ping 17.1.1.2 logical-system R1 size 1472 do-not-fragment PING 17.1.1.2 (17.1.1.2): 1472 data bytes  
1480 bytes from 17.1.1.2: icmp_seq=0 ttl=64 time=0.933 ms 1480 bytes from 17.1.1.2: icmp_seq=1 ttl=64 time=0.838 ms  
1480 bytes from 17.1.1.2: icmp_seq=2 ttl=64 time=4.688 ms
```

-- Exhibit -

You are using the ping command to troubleshoot a suspected MTU problem.

- A. Referring to the exhibit, which two statements are true? (Choose two.)The first ping fails because the do-not-fragment option is set.
- B. The first ping fails because the Junos OS takes into account Layer 2 headers while calculating the MTU.
- C. The first ping fails because the Junos OS takes into account ICMP and IP headers while calculating the MTU.
- D. The first ping fails because the Junos OS takes into account the CRC header while calculating the MTU.

Correct Answer: AC

#### QUESTION 4

You are asked to provide an audit trail for all user activity on your Junos device. Which syslog configuration statement accomplishes this task?

- A. user \* {any any;}file messages {any notice;authorization info;}
- B. user \* {any any;}file messages {any info;authorization info;}
- C. user \* {any emergency;}file messages {any notice;authorization info;}file interactive-commands {interactive-commands any;}
- D. user \* {any emergency;}file messages {any notice;authorization info;}file audit-commands {authorization any;}

Correct Answer: C

#### QUESTION 5

Click the Exhibit button.

-- Exhibit -user@host> request system software add

...

WARNING: The /var filesystem is low on free disk space.

WARNING: This package requires 1 k free, but there

WARNING: is only 666502k available.

-- Exhibit -Which three commands are useful in identifying and addressing the cause of the lack of disk space? (Choose three.)

- A. show chassis routing-engine
- B. show system storage
- C. show system directory-usage
- D. request system software add validate
- E. request system storage cleanup

Correct Answer: BCE

[Latest JN0-690 Dumps](#)

[JN0-690 VCE Dumps](#)

[JN0-690 Exam Questions](#)