

# P2090-047<sup>Q&As</sup>

IBM PureData System for Transactions Technical Mastery Test v1

# Pass IBM P2090-047 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass2lead.com/p2090-047.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

😳 365 Days Free Update

800,000+ Satisfied Customers





### **QUESTION 1**

Which CREATE DATABASE attributes are required?

- A. The database name.
- B. The database name and the redo log file name.
- C. The database name and the table space name.
- D. The database name and the temporary table space name.

Correct Answer: A

## **QUESTION 2**

All database users are members of what predefined database group, which governs the basic access permissions that are granted to the system?

- A. GUEST
- **B. USERS**
- C. PUBLIC
- D. GLOBAL

Correct Answer: C

### **QUESTION 3**

Click on the exhibit.



CREATE Table	e TableA	
( c_custkey c_name	integer,	
c_name	varchar(25),	
c_address	VARCHAR(40),	
c_nationkey	integer,	
c_phone	character(15),	
c acctbal	numeric(15,2),	
c_mktsegme	ent character(10),	
c_comment	VARCHAR(117)	
DISTRIBUTE	CALL	
	ON (c_custkey);	
	: ON (c_custkey);	
CREATE TABI	LE TableB	
CREATE TABI	LE TableB integer,	
CREATE TABL ( o_orderkey o_custkey	LE TableB integer,	
CREATE TABL o_orderkey o_custkey o orderstatu	LE TableB integer, integer, s character(1),	
CREATE TABL o_orderkey o_custkey o orderstatu	LE TableB integer, integer, s character(1), numeric(15,2),	
CREATE TABL o_orderkey o_custkey o_orderstatu o_totalprice o_orderdate	LE TableB integer, integer, s character(1), numeric(15,2), date,	
CREATE TABL o_orderkey o_custkey o_orderstatu o_totalprice o_orderdate o_orderpriori	LE TableB integer, integer, s character(1), numeric(15,2), date, ty character(15),	
CREATE TABI ( o_orderkey o_custkey o_orderstatu o_totalprice o_orderdate o_orderpriori o_clerk	LE TableB integer, integer, s character(1), numeric(15,2), date, ty character(15), character(15),	
CREATE TABI ( o_orderkey o_custkey o_orderstatu o_totalprice o_orderdate o_orderpriori o_clerk o_shippriority	LE TableB integer, integer, s character(1), numeric(15,2), date, ty character(15), character(15),	

Given the following query: SELECT \* FROM TableA, TableB WHERE TableA.c\_custkey = TableB.o\_custkey; What type of join processing will occur when the query is executed?

- A. Collocation hash join processing
- B. Distributed hash join processing
- C. Broadcast sort merge join processing
- D. Replication sort merge join processing

Correct Answer: A

#### **QUESTION 4**

Which statement is NOT true?

- A. nzbackup backs up selected tables.
- B. nzbackup backs up to a file system destination.
- C. nzbackup backs up to a Veritas NetBackup destination.
- D. nzbackup backs up to a IBM Tivoli Storage Manager destination.

Correct Answer: A



# **QUESTION 5**

What is the only predefined database user, which is able to access all objects and perform all tasks against the database?

A. root

B. public

- C. admin
- D. system

Correct Answer: C

P2090-047 VCE Dumps

P2090-047 Study Guide

P2090-047 Braindumps