

P2090-078^{Q&As}

IBM InfoSphere MDM Standard Edition Technical Mastery Test v1

Pass IBM P2090-078 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/p2090-078.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

Which field is an internal identifier that is generated by the Hub?

- A. MemRecNo
- B. MemIdNum
- C. MemSeqNo
- D. MemIdent

Correct Answer: A

QUESTION 2

Which of these is NOT a valid input for deriving data (assuming nothing else has changed in your configuration)?

- A. A text file containing the original source extract
- B. Existing binary files
- C. Existing UNL files
- D. Existing data in the Hub database

Correct Answer: B

QUESTION 3

Which field contains the primary identifier that was generated by the source system?

- A. MemRecNo
- B. MemIdNum
- C. MemSeqNo
- D. MemIdent

Correct Answer: B

QUESTION 4

How can you look up the actual value that a Bucket Hash represents?

- A. Run a query against the mpi_DVDXBKT table
- B. Find a Bucket Hash, then run it in MPXPREP to convert it back to real data

- C. Double-click a Bucket Hash number in the Bucket Analytics perspective to see what it converts into
- D. Find a Member record or a Bucket Hash, then look it up using the Analytics perspective

Correct Answer: D

QUESTION 5

How should you add a list of Anonymous Values to the database?

- A. On the Strings tab in Workbench
- B. As a Job in Workbench
- C. Directly in the mpi_AnonList database table
- D. Using the Inspector tool

Correct Answer: A

[Latest P2090-078 Dumps](#)

[P2090-078 Exam Questions](#)

[P2090-078 Braindumps](#)