

AD0-E703^{Q&As}

Adobe Certified Expert - Magento Commerce Developer

Pass Adobe AD0-E703 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/ad0-e703.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Adobe
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

A module you are developing requires the addition of new routes that should be accessible in the store front.

Where do you define your module's frontName?

- A. etc/frontend/routes.xml
- B. etc/frontend/config.xml
- C. etc/config.xml
- D. etc/routes.xml

Correct Answer: A

QUESTION 2

During a code review of a module MyCompany_PaymentCurrencies you see a configuration field declared in the file etc/adminhtml/system.xml:

```
<field id="currency" type="select" showInDefault="1" showInWebsite="1" showInStore="0">  
...  
</field>
```

What is the consequence of the attribute showInStore being set to 0?

- A. The field value will not be accessible on the store front by calling ScopeConfigInterface::getValue() with a \$scopeType argument of `store`.
- B. The input field will not be visible if a store view scope is selected in the system configuration
- C. The input field will only be visible if a website's default store scope is selected in the system configuration
- D. The input field will be disabled if a store view scope is selected in the system configuration

Correct Answer: B

QUESTION 3

You have configured an event observer to watch the checkout_submit_all_after event using this XML:

```
<event name="checkout_submit_all_after">  
  <observer name="exampleObserver" instance="MyCompany\MyModule\Observer\CheckoutObserver" />  
</event>
```

What is the required class definition for the event observer?

A

```
class CheckoutObserver
{
    public function exampleObserver(Event\Observer $observer) { /* observer code */ }
}
```

B

```
class CheckoutObserver implements Event\ObserverInterface
{
    public function execute(Event\Observer $observer) { /* observer code */ }
}
```

C

```
class CheckoutObserver extends Event\ObserverAbstract
{
    public function execute(Event\Observer $observer) { /* observer code */ }
}
```

D

```
class CheckoutObserver implements Event\ObserverInterface
{
    public function exampleObserver(Event\Observer $observer) { /* observer code */ }
}
```

A. Option A

B. Option B

C. Option C

D. Option D

Correct Answer: B

QUESTION 4

You are writing a customization for the customer module. You need to make sure the configuration files from your module are loaded after the customer module's configuration.

Where should the dependency be declared?

A. composer.json

B. etc/module.xml

C. etc/config.xml

D. etc/di.xml

Correct Answer: A

QUESTION 5

How many shipping addresses may be selected for an order during the checkout process?

- A. One shipping address per line item is possible
- B. Only one shipping address per order is possible
- C. One shipping addresses per unit of quantity is possible
- D. One shipping address per product type is possible

Correct Answer: B

[AD0-E703 Practice Test](#)

[AD0-E703 Exam Questions](#)

[AD0-E703 Braindumps](#)