

# C1000-004<sup>Q&As</sup>

IBM Curam SPM V7.X Application Developer

## Pass IBM C1000-004 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/c1000-004.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

Suppose that you created a new Process class in your model and performed a build generated command.


What do you need to do next?

- A. Implement the methods in the generated impl version of the class.
- B. Copy the generated impl class from the build/svr/gen/temp folder into the impl package.
- C. Implement the modeled methods in the base class.
- D. Create a new class in the impl package.

Correct Answer: D

**QUESTION 2**

Consider the entity and struct shown in the model:



- A. Type=SampleEntity1, Shadow Type=Key
- B. Type=SampleStruct1, Shadow Type=unspecified
- C. Type=SampleStruct1, Shadow Type=Key
- D. Type=SampleEntity1, Shadow Type=unspecified

Correct Answer: A

**QUESTION 3**

Which two statements about port-processing informational messages are true? (Choose two.)

- A. The INFORMATIONAL element is used to display the messages.

- B. failOperation() is called to return the messages.
- C. Messages can be logged using the setLoggable method.
- D. Messages are added with type InformationalElement.InformationType.kError.
- E. Informational messages must be converted to a list of structs before they are returned to the client.

Correct Answer: AB

Reference: [https://www.ibm.com/support/knowledgecenter/SS8S5A\\_7.0.0/com.ibm.curam.content.doc/WebClientReference/r\\_WEBCREF\\_Reference1Informational1.html](https://www.ibm.com/support/knowledgecenter/SS8S5A_7.0.0/com.ibm.curam.content.doc/WebClientReference/r_WEBCREF_Reference1Informational1.html)

---

#### QUESTION 4

You want to add a custom operation to an out-of-the-box entity.

Which action should you perform in RSA?

- A. Add a generalization between the two entity classes.
- B. Add an aggregation between the two entity classes.
- C. Add an assignable between the two entity classes.
- D. Create a new entity class with the same name as the base entity class.

Correct Answer: B

---

#### QUESTION 5

Which two statements about domain plug-ins are true? (Choose two.)

- A. They are associated with domain definitions via domain definition property in RSA.
- B. They are inherited from parent domain definitions.
- C. They perform validation checks defined as domain definition properties.
- D. They are implemented by using JSP Scriptlets.
- E. They execute in the EJB container.

Correct Answer: AD

[C1000-004 PDF Dumps](#)

[C1000-004 Practice Test](#)

[C1000-004 Study Guide](#)