

C1000-031^{Q&As}

IBM Power Systems Scale-Up Technical Sales

Pass IBM C1000-031 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/c1000-031.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

A Technical Delivery Assessment (TDA), as part of the Solution Assurance is used to:

- A. aggressively complete against competition.
- B. resolve concerns about customer satisfaction.
- C. expedite shipment of a server.
- D. identify and assess risks.

Correct Answer: D

QUESTION 2

What are IBM's recommended best practices for racking and cabling on the IBM Power System E980?

- A. Use the eight inch rack rear expansion.
- B. Place the PDUs in the rack's vertical side pockets.
- C. Use the acoustic rack doors to minimize floor space and protect operator hearing.
- D. Locate the EXP24S SAS drawers in a different rack from the node of PCIe I/O drawer containing the SAS adapters running them.

Correct Answer: C

QUESTION 3

A customer would like to have the ability to move cores and memory activations between servers inside a pool.

What kind of activation must be considered?

- A. Trial capacity on demand
- B. Mobile activation
- C. Elastic capacity on demand
- D. Static activation

Correct Answer: C

QUESTION 4

A customer with critical up-time requirements is comparing POWER9 processor-based servers.

Which RAS feature is found only on the Power System E980?

- A. Redundant Service Processors
- B. Hot swap fans
- C. Chipkill memory
- D. Split backplane

Correct Answer: A

Reference: http://www-01.ibm.com/common/ssi/ShowDoc.wss?docURL=/common/ssi/rep_sm/3/877/ENUS9080-_h03/index.html&request_locale=en

QUESTION 5

To improve response times for an OLAP application, a POWER9 customer requires a SAN-attached storage solution with microsecond latency and highest density per rack.

Which of the following supports these requirements?

- A. FlashSystem 900
- B. IBM ESS
- C. IBM Nutanix
- D. Storwize V7000

Correct Answer: A

[Latest C1000-031 Dumps](#)

[C1000-031 VCE Dumps](#)

[C1000-031 Exam Questions](#)