

C1000-056^{Q&As}

IBM App Connect Enterprise V11 Solution Development

Pass IBM C1000-056 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/c1000-056.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

How is an IBM supplied pattern removed from the IBM App Connect Enterprise Toolkit?

- A. Right-click the pattern name in Pattern Repositories > OT4I GitHub Pattern Repository and choose Purge.
- B. Right-click the pattern name in Pattern Repositories > OT4I GitHub Pattern Repository and choose Uninstall.
- C. Right-click the pattern and choose Uninstall.
- D. Right-click the pattern and choose Purge.

Correct Answer: B

If you want to uninstall and remove a pattern from the IBM App Connect Enterprise Toolkit, right- click the pattern name in Pattern Repositories > OT4I GitHub Pattern Repository and click Uninstall.

https://www.ibm.com/support/knowledgecenter/SSTTDS_11.0.0/com.ibm.etools.mft.doc/ac68260_.html

QUESTION 2

In order to comply with port binding in 12-Factor App, how many integration servers should exist per container?

- A. 3
- B. 2
- C. 1
- D. Unlimited

Correct Answer: C

QUESTION 3

What is one reason to organize resources into applications?

- A. It enables all processes using the module to reference the latest versions
- B. It enables the ability to reference the resources in an Integration Project
- C. It allows for Java and ESQL support in the same message flow
- D. It provides runtime isolation of resources

Correct Answer: D

QUESTION 4

Which prerequisite task must be done before encrypting a connection to an MQTT server?

- A. Create a connection from the MQTT server to the SSL server.
- B. Configure the Security identity property on the MQTT server to use encrypted message flow.
- C. Configure the MQTT server to communicate using JMT encryption.
- D. Create a truststore and import the MQTT server public certificate into the truststore.

Correct Answer: D

QUESTION 5

What node category is used to enable integrations running in IBM App Connect on IBM Cloud for performing aggregation-style operations?

- A. Messaging Nodes
- B. Group Nodes
- C. Transaction Nodes
- D. Callable Nodes

Correct Answer: B

<https://developer.ibm.com/integration/blog/2018/10/08/ibm-app-connect-enterprise-now-supports-group-nodes/>

[Latest C1000-056 Dumps](#)

[C1000-056 VCE Dumps](#)

[C1000-056 Practice Test](#)