

C7010-010^{Q&As}

IBM Cúram V6.0.4 Application Development

Pass IBM C7010-010 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.pass2lead.com/c7010-010.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



https://www.pass2lead.com/c7010-010.html

2024 Latest pass2lead C7010-010 PDF and VCE dumps Download

QUESTION 1

For an entity named Sample, which of the following are shadow types that the generators may create?

- A. SampleKeyDtls
- B. SampleKeyList
- C. SampleKey
- D. SampleListDtls

Correct Answer: BC

QUESTION 2

The Curam page shown here is configured to allow the developer to identify which action control was selected when the user clicks either button.



Which of the following pieces of UIM could be used to do this?



CA.

```
<?xml version="1.0" encoding="UTF-8"?>
<PAGE PAGE ID="PersonDemo agree"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:noNamespaceSchemaLocation="file://Curam/UIMSchema.xsd">
    <PAGE TITLE>
        <CONNECT>
            <SOURCE NAME="TEXT" PROPERTY="PageTitle.StaticText"/>
       </CONNECT>
    </PAGE TITLE>
    <SERVER INTERFACE OPERATION="checkAgreement" CLASS="MaintainPerson"</pre>
    NAME="CheckAgreementBean" PHASE="ACTION" ACTION ID PROPERTY="selection"/>
    <CLUSTER TITLE="Cluster.Title.Agreement">
        <ACTION SET TOP="false" ALIGNMENT="CENTER">
            <action CONTROL LABEL="ActionControl.Label.Yes"
            TYPE="SUBMIT" ACTION ID="selection"/>
            <action control Label="ActionControl.Label.No"
            TYPE="SUBMIT" ACTION ID="selection"/>
            <ACTION CONTROL LABEL="ActionControl.Label.No"
            TYPE="SUBMIT" ACTION ID="selection"/>
        </ACTION SET>
    </CLUSTER>
</PAGE>
```



CB.

```
<?xml version="1.0" encoding="UTF-8"?>
<PAGE PAGE ID="PersonDemo agree"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:noNamespaceSchemaLocation="file://Curam/UIMSchema.ksd">
    <PAGE TITLE>
        <CONNECT>
            <SOURCE NAME="TEXT" PROPERTY="PageTitle.StaticText"/>
        </connect>
    </PAGE TITLE>
    <SERVER_INTERFACE OPERATION="checkAgreement" CLASS="MaintainPerson"</pre>
    NAME="CheckAgreementBean" PHASE="ACTION" ACTION ID PROPERTY="selection"/>
    <CLUSTER TITLE="Cluster.Title.Agreement">
        <ACTION SET TOP="false" ALIGNMENT="CENTER">
            <ACTION CONTROL LABEL="ActionControl.Label.Yes"</pre>
            TYPE="SUBMIT" ACTION ID="agree"/>
            <ACTION CONTROL LABEL="ActionControl.Label.No"
            TYPE="SUBMIT" ACTION ID="disagree"/>
        </ACTION SET>
    </CLUSTER>
</PAGE>
```

CC.

```
<?xml version="1.0" encoding="UTF-8"?>
<PAGE PAGE ID="PersonDemo agree"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:noNamespaceSchemaLocation="file://Curam/UIMSchema.xsd">
    <PAGE TITLE>
        <CONNECT>
            <SOURCE NAME="TEXT" PROPERTY="PageTitle.StaticText"/>
        </CONNECT>
    </PAGE TITLE>
    <SERVER INTERFACE OPERATION="checkAgreement" CLASS="MaintainPerson"</pre>
    NAME="CheckAgreementBean" PHASE="ACTION" />
    <CLUSTER TITLE="Cluster.Title.Agreement">
        <ACTION SET TOP="false" ALIGNMENT="CENTER">
            <ACTION CONTROL LABEL="ActionControl.Label.Yes"</pre>
            TYPE="SUBMIT" ACTION ID="agree"/>
            <ACTION CONTROL LABEL="ActionControl.Label.No"</pre>
            TYPE="SUBMIT" ACTION ID="disagree"/>
        </ACTION SET>
    </CLUSTER>
</PAGE>
```



CD.

```
<?xml version="1.0" encoding="UTF-8"?>
<PAGE PAGE ID="PersonDemo agree"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:noNamespaceSchemaLocation="file://Curam/UIMSchema.xsd">
    <PAGE TITLE>
        <CONNECT>
            <SOURCE NAME="TEXT" PROPERTY="PageTitle.StaticText"/>
        </connect>
    </PAGE TITLE>
    <SERVER INTERFACE OPERATION="checkAgreement" CLASS="MaintainPerson"</p>
   NAME="CheckAgreementBean" PHASE="ACTION" ACTION ID PROPERTY="Yes"/>
    <SERVER INTERFACE OPERATION="checkAgreement" CLASS="MaintainPerson"</p>
   NAME="CheckAgreementBean" PHASE="ACTION" ACTION ID PROPERTY="No"/>
    <CLUSTER TITLE="Cluster.Title.Agreement">
        <ACTION SET TOP="false" ALIGNMENT="CENTER">
            <ACTION CONTROL LABEL="ActionControl.Label.Yes"</p>
            TYPE="SUBMIT" ACTION ID="agree"/>
            <action control Label="ActionControl.Label.No"
            TYPE="SUBMIT" ACTION ID="disagree"/>
        </ACTION SET>
    </CLUSTER>
</PAGE>
```

A. Exhibit A

B. Exhibit B

C. Exhibit C

D. Exhibit D

Correct Answer: B

QUESTION 3

Which two of the following statements about the CONNECT element are true? [Select 2]

- A. When used inside a LIST, a CONNECT element can have a TARGET element as a child element
- B. When used inside a FIELD, a CONNECT element must have at least one SOURCE, TARGET, or INITIAL as a child element
- C. The CONNECT element can be used to indicate which SERVER_INTERFACE is related to which ACTION_CONTROL



https://www.pass2lead.com/c7010-010.html

2024 Latest pass2lead C7010-010 PDF and VCE dumps Download

D. The CONNECT element can have multiple TARGET elements

E. The CONNECT element is a valid child of the PAGE element

Correct Answer: BE

QUESTION 4

Which of the following are valid ways to enforce that a value be mandatory for a given attribute?

- A. Write custom logic at method level in the Java class
- B. Configure the Require_Mandatory property of the entity\\'s attribute to be set to true
- C. Specify the name of the field in the Mandatory_Fields property of the modeled operation\\'s argument struct
- D. Write a custom Java function to check for a value being present and specify the function on the Custom_Validation_Function_Name property of the relevant Domain Definition

Correct Answer: AC

QUESTION 5

Which of the following statements about the extension class EntityExtension that extends the entity class Entity is true?

- A. The generator produces a new Java class curam.struct.EntityExtensionDtls containing any new or overridden attributes, as well as the attributes remaining from curam.struct.EntityDtls.
- B. The generator produces a new Java class curam.struct.EntityExtensionDtls containing any new or overridden attributes.
- C. The generator produces no new Java classes, but replaces curam.struct.EntityDtls with a new version containing the new or overridden attributes, as well as any others remaining from the original Entity.
- D. The generator produces a new curam.intf.EntityExtension class containing the method signatures of curam.intf.Entity, as well as any new or overridden methods.

Correct Answer: C

C7010-010 VCE Dumps

C7010-010 Practice Test

C7010-010 Braindumps