

C9060-509^{Q&As}

IBM Tivoli Storage Manager V7.1 Fundamentals

Pass IBM C9060-509 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/c9060-509.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

What is the purpose of the VirtualNodename option?

- A. To restore or retrieve files from UNIX to Windows.
- B. To restore or retrieve files from another workstation.
- C. To transfer the IBM Tivoli Storage Manager (TSM) backup/restore client node password information to a system.
- D. To automatically allocate the same amount of space on the target TSM backup/restore client.

Correct Answer: B

Explanation: The virtualnodename option specifies the node name of your workstation when you want to restore or retrieve files to a different workstation.

QUESTION 2

What happens to data that is scheduled to be archived if there is no archive copy group in the management class?

- A. The archive fails.
- B. The archive retention grace period of 90 days is used.
- C. The archive retention grace period of 365 days is used.
- D. The default backup copy group setting Retain Only is used.

Correct Answer: C

Explanation: * . If you do not specify a management class, Tivoli Storage Manager uses the management class in the active policy set specifying the longest retention period.

* The archive copy of the file managed by the grace period is retained in server storage for the number of days specified by the archive retention grace period. This period starts from the day on which the file is first archived. For example, if the archive retention grace period for the policy domain STANDARD is used, an archive copy expires 365 days from the day the file is first archived.

QUESTION 3

Which IBM Tivoli Storage Manager server database backup type can be taken offsite?

- A. image database backups
- B. database snapshot backups
- C. differential database backups
- D. high availability database backups

Correct Answer: B

Explanation: Snapshot database backups are typically used for off-site disaster recovery purposes.

Note: When the client backups are complete, the new data in the primary storage pools should be copied to a copy storage pool. The copy storage pool tapes, along with the database backup tapes, should be taken to a secure off-site location or vault. The copy storage pool and database backup tapes are referred to collectively as the off-site backups, and will be used to restore your environment in the event of a catastrophic failure or disaster.

QUESTION 4

Which IBM Tivoli Storage Manager (TSM) V7.1 component provides a general overview of the status of the TSM server and clients?

- A. TSM Manager
- B. Operations Center
- C. IBM Tivoli Monitoring agent
- D. Integrated Storage Console

Correct Answer: B

Explanation: The Operations Center is IBM's next-generation graphical user interface for Tivoli Storage Manager. It provides advanced end-to-end visibility of the entire backup environment. Over time, IBM plans to add more control and automation capabilities, which will dramatically simplify daily management and operational tasks for a wide range of users. Incorrect: Not A: IBM Tivoli Storage Manager is a client and server program that provides storage management solutions to customers in a multi-vendor computer environment. IBM Tivoli Storage Manager provides an automated, centrally scheduled, policy-managed backup, archive, and space-management facility for file servers and workstations. Not D: No such thing as an Integrated Storage Console.

QUESTION 5

What is the default log to record scheduled command output on a client?

- A. schedule.log
- B. tsmsched.log
- C. dsmsched.log
- D. admsmsched.log

Correct Answer: C

Explanation: Checking the Schedule Log The Tivoli Storage Manager client stores detailed information about each scheduled event in a file. This file contains information such as the statistics about the backed-up objects, the name of the server to which the objects are backed up, and the time and date of the next scheduled operation.

The default name for this file is dsmsched.log.

[Latest C9060-509 Dumps](#)

[C9060-509 PDF Dumps](#)

[C9060-509 Braindumps](#)