

C9530-404^{Q&As}

IBM Integration Bus V9.0 Solution Development

Pass IBM C9530-404 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/c9530-404.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

A solution developer wants to use the global cache functionality to share data between two Integration nodes which are running on separate host machines.

What must the developer configure to accomplish the requirements?

- A. A global cache policy file on both Integration nodes.
- B. A configurable service to connect to an external WebSphere eXtreme Scale grid for example on a DataPower ?XC10 device.
- C. The default global cachetopology on both Integration nodes.
- D. The default global cache topology on both Integration nodes and an MQ cluster between the two queue managers.

Correct Answer: A

QUESTION 2

A solution developer needs to develop a generic message handler that is common to all applications and message flows. The message handler parses a complex file that contains healthcare records and extracts Patient Eligibility requests. The developer wants to make and deploy changes to the message handler without redeploying all the message flows.

How should the developer define the Integration Bus artifacts?

Define the message handler as:

- A. a subflow in a library and define the message flows as services that reference the library.
- B. a subflow in a library and define the message flows as applications that reference the library.
- C. a subflow in a library and define the message flows as independent resources that reference the library.
- D. an integration service and define the message flows as applications that reference the integration service.

Correct Answer: D

QUESTION 3

A solution developer is asked by a deployment team about options to deploy BAR files that provide just deployment capabilities.

Which option provides only deployment capabilities, and does not provide packaging capabilities?

- A. Commands on AIX
- B. Commands on Windows and Linux
- C. IBM Integration web user interface

D. Integration API and IBM Integration Explorer

Correct Answer: C

QUESTION 4

A solution developer has to support three environments: development, test and production. Therefore, the solution developer has to customize an application to reflect changes such as input queue names, IP addresses, database names and number of additional instances. What should the developer use to change the properties for each environment?

- A. a runtime command
- B. a configurable service
- C. a .propertiesfile in the application
- D. the IBM Integration Bus web user interface

Correct Answer: D

QUESTION 5

A solution developer needs to create a broker archive to deploy an application on an integration server. During this process, the solution developer can add a flow as

- A. mgsflowor.cmffile. The solution developer decides to use.mgsflow. Which node is allowed in the flow?
- B. A user-defined node that is created from a subflow.
- C. A user-defined node that is created from a Java implementation.
- D. A WebSphere Message Broker Version 7.0 Mapping node.
- E. A subflow node that represents a subflow that is defined in a.msgflowfile.

Correct Answer: A

[C9530-404 Practice Test](#)

[C9530-404 Study Guide](#)

[C9530-404 Exam Questions](#)