

C9530-410^{Q&As}

IBM MQ V8.0 System Administration

Pass IBM C9530-410 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/c9530-410.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

A system administrator created a program to monitor the queue manager using Programmable Command Format PCF commands. The program reported an invalid format error in the message header when the system administrator ran the program. To correct the invalid program error, which message format should the system administrator specify in the QMD Header?

- A. MQFMT ADMIN
- B. MQFMT STRING
- C. MQFMT REPORT
- D. MQFMT COMMAND

Correct Answer: D

QUESTION 2

An application needs to clear a local queue using PCF commands. The application is getting reason code 2035 MQRC NOT AUTHORIZED. Channel authentication records are disabled. What are the minimum required permissions a system administrator needs to assign to the application users?

- A. All authority to the queue manager object.
- B. A blank MCAUSER in the server connection channel.
- C. Connect authority to the queue manager object and Clear authority to the queue.
- D. Connect and Control authority to the queue manager object and ALL MQI authority to the queue.

Correct Answer: B

QUESTION 3

A system administrator needs to generate report messages that show the sequence of MQI calls that an application sends.

What must the system administrator do to generate these messages?

- A. Run the dspmqrte command.
- B. Set the STATMQIONa ribute on the queue manager.
- C. Set the ACTVTRCONa ribute on the queue manager.
- D. Set the ACTIVRECMMSGa ribute on the queue manager.

Correct Answer: C

QUESTION 4

A system administrator needs to design a solution for transferring confidential data from a financial institution that is using MQ network to another institution that is using non-MQ network and FTP/SFTP protocols. The data must be protected while the messages are on the queues on the MQ network and during the transfer. How can the system administrator do this?

- A. Use IBM MQ Managed File Transfer and Advanced Message Security.
- B. Use publish/subscribe topology combined with SSL/TLS enabled channels.
- C. Enable SSL/TLS on sender and receiver channels and also enable the FTP protocol on the queue manager.
- D. Use native MQ, which has the ability to transfer files over a non-MQ FTP/SFTP network and encrypts data on queues by default.

Correct Answer: A

QUESTION 5

A client application with IP address 10.2.2.2 connecting to a queue manager needs to be blocked for security purposes.

Which command does system administrator need to run to block this client application?

- A. SET CHLAUTH * TYPE BLOCKADDR ADDRLIST10.2.2.2
- B. SET CHLAUTH * TYPE BLOCKADDR IPADDR10.2.2.2 USERSCR BLOCK
- C. SET CHLAUTH * TYPE ADDRESSMAP ADDRESS10.2.2.2 USERSCR BLOCK
- D. SET CHLAUTH * TYPE ADDRESSMAP ADDRESSMAP 10.2.2.2 USERSCR BLOCKADDR

Correct Answer: C

[C9530-410 VCE Dumps](#)

[C9530-410 Study Guide](#)

[C9530-410 Braindumps](#)