C_HANADEV_17$^{Q\&As}$

SAP Certified Development Associate - SAP HANA 2.0 SPS05

Pass SAP C_HANADEV_17 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass2lead.com/c_hanadev_17.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by SAP Official Exam Center

⚙ **Instant Download** After Purchase

⚙ **100% Money Back** Guarantee

⚙ **365 Days** Free Update

⚙ **800,000+** Satisfied Customers

QUESTION 1

You create a multi-target application in SAP Web IDE for SAP HANA. Which source code management option do you use?

A. SVC-based repository

B. SAP HANA repository

C. GIT-based repository

D. SAP HANA repository workspace

Correct Answer: C

QUESTION 2

In application development with XS advanced, which of the following entities belong to a specific SPACE? There are 2 correct answers to this question.

A. Applications

B. Processes

C. Users

D. Organizations

Correct Answer: CD

QUESTION 3

How do you debug a Node.js module in SAP Web IDE for SAP HANA?

A. Start the debugger from the XS Command Line interface and run the program in SAP Web IDE for SAP U HANA

B. Set the enabled parameter to true in the section debugger of the xsengine.ini file

C. Attach the debugger to the application in the SAP Web IDE for SAP HANA

D. Add the sap.hana.xs.debugger: :Debugger plugin to the SAP Web IDE for SAP HANA

Correct Answer: C

QUESTION 4

You implement a native SAP HANA application using SAP HANA extended application services, advanced

mode (XS advanced) and SAPUI5.

Where is the UI rendering executed?

A. On the XS advanced application server

B. On the SAPUI5 HTML5 module

C. On the front-end client device

D. On the SAP Fiori front-end server

Correct Answer: B

QUESTION 5

Which keywords do you use to define an OData association? Note: There are 3 correct answers to this question.

A. UNION

B. PRINCIPAL

C. JOIN

D. DEPENDENT

E. MULTIPLICITY

Correct Answer: BDE