

C_IBP_2202^{Q&As}

SAP Certified Application Associate - SAP IBP for Supply Chain (2202)

Pass SAP C_IBP_2202 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass2lead.com/c_ibp_2202.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by SAP Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

What actions can be performed in the Advanced Dashboards application? Note: There are 3 correct Answers to this question.

- A. Rename the charts.
- B. Add process templates.
- C. Organize charts.
- D. Display all assigned analytics on a single UI.
- E. Link two analytics charts.

Correct Answer: BCD

QUESTION 2

Which supply chain challenge is addressed by SAP IBP for demand?

- A. Inability to respond to short-term changes in supply and demand
- B. Inability to arrive at consensus demand
- C. Inability to synchronize supply and demand
- D. Inability to understand and shape actual demand

Correct Answer: D

QUESTION 3

Which of the following are features of the SandOP process templates? Note: There are 2 correct Answers to this question.

- A. All process templates are assigned to dashboards.
- B. The number of steps in a process template is the same for all implementations.
- C. Each step depicted in the template can have tasks associated with it.
- D. New instances of templates allow for re-use of the same processes again.

Correct Answer: CD

QUESTION 4

You want to display and edit data in different units of measure (UOM). Which of the following must you consider before

you use UOM? Note: There are 3 correct Answers to this question.

- A. Analytics provide the user with the option to select the target unit of measure.
- B. Unit of measure is an attribute of a master data type, such as Product.
- C. Units of measure are usually not time-dependent.
- D. Units of measure are usually not time-independent.
- E. Conversion to the target unit of measure is handled by functionality of SAP IBP Excel UI

Correct Answer: ABC

QUESTION 5

You are modeling a substitution scenario associated with a promotion. What are some of the Master Data parameters that you need to maintain to ensure desired results generated by the optimizer? Note: There are 2 correct Answers to this question.

- A. Flag \Disable Substitution of Location Products
- B. Loc-Prod Subst Valid-From Date
- C. Promotion duration
- D. Location Product Sub Cost Rate

Correct Answer: BC

[C_IBP_2202_VCE_Dumps](#)

[C_IBP_2202_Study_Guide](#)

[C_IBP_2202_Braindumps](#)