

C_TS413_2021^{Q&As}

SAP Certified Application Associate - SAP S/4HANA Asset Management

Pass SAP C_TS413_2021 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass2lead.com/c_ts413_2021.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by SAP Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

During the implementation project you need to define the organizational units relevant for Plant Maintenance. Which of the following objects can you directly assign to a maintenance plant? Note: There are 2 correct answers to this question.

- A. Storage location
- B. Maintenance work center
- C. Business partner
- D. Maintenance planner group

Correct Answer: AB

QUESTION 2

Which material type is the best choice if you only want to create a structure element within the BOM?

- A. Spare part (ERSA)
- B. Maintenance assembly (IBAU)
- C. Non-valuated material (UNBW)
- D. Operating supplies (HIBE)

Correct Answer: B

QUESTION 3

What are the prerequisites to serialize a piece of equipment? Note: There are 3 correct answers to this question.

- A. Assign a serial number profile to the related material master.
- B. Assign a serial number profile to the equipment category.
- C. Add a serialized material to the equipment serial data view.
- D. Maintain a serial number for an existing equipment master.
- E. Add a serialized material to the construction type field of the equipmentmaster.

Correct Answer: ACE

QUESTION 4

Which statements regarding a maintenance order with status REL are correct? Note: There are 3 correct answers to this

question.

- A. The planner can change estimated costs only at header level.
- B. Shop papers can only be printed after the order release.
- C. Goods receipts for external services can be entered.
- D. The controller can determine actual cost surcharges.
- E. The planner can change planned costs at operation level.

Correct Answer: BCE

QUESTION 5

You want to create a single cycle plan with a cycle of 12 months. You use the Time - key date scheduling indicator. The orders should be called 3 months before the planned date. How can you setup the maintenance plan? Note: There are 2 correct answers to this question.

- A. Set the call horizon to 75%.
- B. Set the call horizon to 25%.
- C. Set the call horizon to 90 days.
- D. Set the offset to 3 months.

Correct Answer: BD

[Latest C_TS413_2021 Dumps](#)

[C_TS413_2021 VCE Dumps](#)

[C_TS413_2021 Braindumps](#)