C_TSCM42_67^{Q&As}

SAP Certified Application Associate - Production Planning & Manufacturing with SAP ERP 6.0 EHP7

Pass SAP C_TSCM42_67 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass2lead.com/c_tscm42_67.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by SAP Official Exam Center

⚙ **Instant Download** After Purchase

⚙ **100% Money Back** Guarantee

⚙ **365 Days** Free Update

⚙ **800,000+** Satisfied Customers

![Pass2Lead logo](https://Pass2Lead.com)
QUESTION 1

After a material has been included in a NETCH material requirements planning run you change its BOM (bill of materials).

Which of the following planning file entries for this material are set by the system?

A. The BOM explosion and the NETPL planning indicator

B. The BOM explosion indicator

C. The BOM explosion, the NETCH, and the NETPL planning indicators

D. The NETCH and NETPL planning indicators

Correct Answer: C

QUESTION 2

In which of the following objects can you activate backflushing of components if you want to use this functionality during order confirmation? (Choose three.)

A. Work Center

B. Production Scheduling Profile

C. Material Master (Finished Product)

D. Routing

E. Material Master (Component)

Correct Answer: ADE

QUESTION 3

You want to produce a finished product only when it is requested by a customer order in make-to-order production. However, all assemblies need to be procured beforehand.

How can you fulfill these requirements in SAP ECC? (Choose two)

A. Use strategy 50 (planning without final assembly) for the finished product and no strategy for all assemblies in the bill of material.

B. Use strategy 30 (production by lots) for the finished product and strategy 70 (planning at the assembly level) for all assemblies in the bill of material.

C. Use strategy 20 (make-to-order production) for the finished product and strategy 70 (planning at the assembly level) for all assemblies in the bill of material.

D. Use strategy 40 (planning with final assembly) for the finished product and strategy 70 (planning at the assembly level) for all assemblies in the bill of material.

Correct Answer: AC

QUESTION 4

Which repetitive manufacturing options can you use to carry out line loading in the SAP ECC system, and thus generate run schedule quantities (RSQ) from normal planned orders? (Choose three)

A. Automatic selection of the production line assigned to the MRP group used during material requirements planning (MRP)

B. Automatic selection of the production version in material requirements planning (MRP) using the selection methods setting

C. Automatic selection of the production version by applying quota arrangement records in material requirements planning (MRP)

D. A planning algorithm from capacity planning

E. Manual assignment of planned production quantities in a planning table

Correct Answer: BCE

QUESTION 5

Which of the following statements about consumption are correct? (Choose two)

A. Consumption takes place on the material level between the planned independent requirements and the planned orders.

B. Consumption parameters (consumption mode and consumption interval) can be set in the material master or in the MRP group.

C. Consumption is restructured with the planning run.

D. Consumption can take place between order reservations and planned independent requirements, depending on the strategy.

Correct Answer: BD

[Latest C_TSCM42_67 Dumps](#)   [C_TSCM42_67 Exam Questions](#)   [C_TSCM42_67 Braindumps](#)