

C_TSCM52_67^{Q&As}

SAP Certified Application Associate - Procurement with SAP ERP 6.0
EhP

Pass SAP C_TSCM52_67 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass2lead.com/c_tscm52_67.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by SAP Official
Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

How can you simplify and accelerate the material master data maintenance? (Choose three)

- A. You can enter a reference material from which all the data is always copied when you create a new material.
- B. You can use a special mass change function to change several material master records at the same time.
- C. You can let the system automatically add the storage location data to the material master record with the first goods receipt posting.
- D. You can preset the views that you are responsible for in the dialog box Select Views in the transactions you use to maintain the material master data.
- E. You can use profiles on the initial screen if you want to create MRP or forecast data for a material master.

Correct Answer: BCD

QUESTION 2

What is the relationship between a service master record and a service specification in SAP Materials Management?

Please choose the correct answer.

Response:

- A. Service master records are used as a source of data while creating service specifications.
- B. Service specifications are created to confirm service master catalog activities.
- C. A service specification is the master data record that describes the structure of a service master record.
- D. Service specifications are used in purchase requisitions; service master records are used in purchase orders.

Correct Answer: A

QUESTION 3

You perform a total planning run for a plant. On the initial screen, you can select a creation indicator for MRP lists. Which of the following can determine whether an MRP list is created for a material?

Please choose the correct answer.

Response:

- A. Procurement type

B. Exception message

C. MRP type

D. MRP controller

Correct Answer: B

QUESTION 4

You post a goods receipt into stock for a purchase order item for which the indicator Free item is set. The material has a material master record and a material type for which the quantity and value are updated. The price control parameter has the value Standard price for the material.

To which general ledger accounts are the postings made? (Choose two)

A. Consumption account

B. Price difference account

C. GR/IR clearing account

D. Stock account

Correct Answer: BD

QUESTION 5

You want to post a goods issue from stock in quality inspection. In which of the following cases is this possible?

There are 2 correct answers to this question.

Response:

A. Withdrawal for scrapping

B. Withdrawal for inspection sample

C. Withdrawal for a reservation

D. Withdrawal for a cost center

Correct Answer: AB

[Latest C_TSCM52_67 Dumps](#)

[C_TSCM52_67 Study Guide](#)

[C_TSCM52_67 Exam Questions](#)