

CIS-DISCOVERY^{Q&As}

Certified Implementation Specialist-Discovery

Pass ServiceNow CIS-DISCOVERY Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/cis-discovery.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by ServiceNow Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

Which of the following is required for a MID Server to have access to automatically stay up-to-date with instance versions?

- A. install.service-now.com
- B. docs.servicenow.com
- C. developer.service-now.com
- D. service-now.com

Correct Answer: A

Reference: https://docs.servicenow.com/bundle/rome-servicenow-platform/page/product/mid-server/concept/c_UpgradeAndTestMIDServer.html

QUESTION 2

Based on this image, which of the following statements are true? (Choose three.)

The image shows a configuration interface for a 'Merge Table' operation. The 'Operation' dropdown is set to 'Merge Table'. Below it, three fields are marked with an asterisk: 'First Table' is '\$name_details', 'Second Table' is '\$more_process_info', and 'Target Table' is '\$cmdb_ci_web_server'. Under 'Merge Criteria', the dropdown is set to 'Condition'. The 'Meet' dropdown is set to 'Any', with the text 'Following condition' next to it. Below this, a condition is defined: '\$process.executablePath' followed by a 'Contains' dropdown and the value '"mongoose"'. At the bottom, the 'Unmatched Values' dropdown is set to 'Remove'.

- A. Attributes from two tables populate a table with the same name as a ServiceNow CMDB table.
- B. This operation is more than likely a part of a step on a pattern set to Application Pattern Type.

- C. If a value is unmatched, it is still merged into the Target Table.
- D. For this operation to run, there must be some data in the process.executablePath variable.
- E. This is a horizontal pattern of type "infrastructure."

Correct Answer: ABD

QUESTION 3

Which of the following can be used in the Debug Identification Section in Debug Mode for an infrastructure pattern? (Choose two.)

- A. IP
- B. AWS Endpoint
- C. PID
- D. Host Name

Correct Answer: AD

Reference: https://docs.servicenow.com/bundle/quebec-it-operations-management/page/product/service-mapping/task/t_ActivateDebugMode.html

QUESTION 4

In a discovery pattern, which types are available with CI Attributes in the Pattern Designer? (Choose two.)

- A. Global CI types
- B. Main pattern CI type
- C. Related CI types
- D. All CI types

Correct Answer: BC

Reference: <https://docs.servicenow.com/bundle/paris-it-operations-management/page/product/service-mapping/task/add-related-cis-to-the-main-ci-pattern.html>

QUESTION 5

For a pattern operation, which of the below choices could be a valid replacement for ? (Choose three.)
\$IfTable.InstanceID

- A. [3]

B. [X]

C. [and]

D. [.]

E. [*]

F. []

Correct Answer: AEF

[CIS-DISCOVERY PDF
Dumps](#)

[CIS-DISCOVERY Practice
Test](#)

[CIS-DISCOVERY
Braindumps](#)