

CRT-450^{Q&As}

Salesforce Certified Platform Developer I

Pass Salesforce CRT-450 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/crt-450.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Salesforce
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

An org has a single account named `NoContacts` that has no related contacts. Given the query:

```
List accounts = [Select ID, (Select ID, Name from Contacts) from Account where Name=`NoContacts`];
```

What is the result of running this Apex?

- A. accounts[0].contacts is invalid Apex.
- B. accounts[0].contacts is an empty Apex.
- C. accounts[0].contacts is Null.
- D. A QueryException is thrown.

Correct Answer: B

QUESTION 2

Universal Containers (UC) processes orders in Salesforce in a custom object, Order_c. They also allow sales reps to upload CSV files with orders at a time.

A developer is tasked with integrating orders placed in Salesforce with UC's enterprise resource planning (ERP) system.

After the status for an Order_c is first set to "Placed", the order information must be sent to a REST endpoint in the ERP system that can process one order at a time.

What should the developer implement to accomplish this?

- A. Callout from an Apex method called from a trigger
- B. Callout from a Synchronous class called from a scheduled job
- C. Flow with 2 callout from an invocable method
- D. Callout from a Queueable class called from a trigger

Correct Answer: A

QUESTION 3

Where are two locations a developer can look to find information about the status of asynchronous or future calls?
Choose 2 answers

- A. Apex Flex Queue
- B. Apex Jobs
- C. Paused Flow Interviews component

D. Time-Based Workflow Monitor

Correct Answer: AB

QUESTION 4

A platform developer needs to write an apex method that will only perform an action if a record is assigned to a specific record type. Which two options allow the developer to dynamically determine the ID of the required record type by its name? Choose 2 answers

A. Use the `getrecordtypeinfosbydevelopername()` method in the `describesobjectresult` class

B. Make an outbound web services call to the SOAP API

C. Execute a SOQL query on the recordtype object

D. Hardcore the ID as a constant in an apex class

Correct Answer: AC

QUESTION 5

What should a developer use to script the deployment and unit test execution as part of continuous integration?

A. Developer Console

B. Execute Anonymous

C. Salesforce CLI

D. VS Code

Correct Answer: C

[Latest CRT-450 Dumps](#)

[CRT-450 Practice Test](#)

[CRT-450 Exam Questions](#)