

CWNA-108^{Q&As}

Certified Wireless Network Administrator

Pass CWNP CWNA-108 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/cwna-108.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by CWNP
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

A dual-band 802.11ac AP must be powered by PoE. As a class 4 device, what power level should be received at the AP?

- A. 30 W
- B. 12.95 W
- C. 25.5 W
- D. 15.4 W

Correct Answer: C

QUESTION 2

What primary metric of scanning can stations use to select the best AP for connectivity to the desired BSS?

- A. Signal strength of AP beacons received.
- B. PING latency when testing against an Internet server.
- C. FCS errors in frames transmitted to and from the AP.
- D. Throughput speed in Mbps.

Correct Answer: A

QUESTION 3

What statement describes the authorization component of a AAA implementation?

- A. Validating client device credentials against a database.
- B. Implementing a WIPS as a full-time monitoring solution to enforce policies.
- C. Granting access to specific network services or resources according to a user profile.
- D. Verifying that a user is who he says he is.

Correct Answer: C

Reference <http://searchsecurity.techtarget.com/definition/authentication-authorization-and-accounting>

QUESTION 4

You are configuring an access point to use channel 128. What important fact should be considered about this channels?

- A. It is a 22 MHz channel so it will overlap with the channels above and below it
- B. It is a 2.4 GHz frequency band 40 MHz channel, so it should not be used
- C. It is a channel that is unsupported by most access points
- D. It is a channel that likely requires DFS when used

Correct Answer: D

QUESTION 5

What factor will have the most significant impact on the amount of wireless throughput available to each station within a BSS?

- A. The Layer 3 protocol used by each station to transmit data over the wireless link
- B. The number of client stations associated to the BSS
- C. The power management settings in the access point beacons
- D. The presence of co-located (10m away) access points on non-overlapping channels

Correct Answer: B

[Latest CWNA-108 Dumps](#)

[CWNA-108 VCE Dumps](#)

[CWNA-108 Braindumps](#)