

# DES-1423<sup>Q&As</sup>

Specialist Implementation Engineer Isilon Solutions Exam

**Pass EMC DES-1423 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/des-1423.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by EMC  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



### QUESTION 1

You have been tasked with designing SyncIQ policies for a systems administrator that requires failover and failback testing. What information should be provided to the administrator?

- A. SyncIQ supports failback replication policies that specify directory includes or excludes.
- B. Failback replication policies that specify includes or excludes cannot use data encryption.
- C. Failback replication policies that specify includes or excludes are not supported with SyncIQ.
- D. Failback replication policies that specify includes or excludes cannot use historical snapshots.

Correct Answer: C

Reference: <https://mydocuments.emc.com/pub/en-us/isilon/onefs/7.2.1/ifs-pub-administration-guide-cli/15-ifs-br-data-replication-with-synciq.htm>

---

### QUESTION 2

What are the methods to join a node to an Isilon cluster?

- A. Configuration wizard, SSH connection, or CLI only
- B. Serial connection, Configuration wizard, or CLI only
- C. Front panel display, serial cable, or Configuration wizard only
- D. Front panel display, Configuration wizard, WebUI, or CLI only

Correct Answer: D

---

### QUESTION 3

A company wants to re-use HD400 nodes into a new cluster with OneFS 8.2.0. What is the minimum number of HD400 nodes required?

- A. 3
- B. 4
- C. 5
- D. 6

Correct Answer: A

Reference: <https://www.commoncriteriaportal.org/files/epfiles/383-7-148%20ST%20v1.0.pdf> (9)

---

**QUESTION 4**

Which HTTPS port number should be used to connect to any node in an Isilon cluster?

- A. 8091
- B. 8443
- C. 8088
- D. 8080

Correct Answer: D

Reference: <https://www.dellemc.com/en-us/collaterals/unauth/technical-guides-support-information/2019/09/docu95378.pdf>

---

**QUESTION 5**

What are the considerations when a NANON configuration is used?

- A. Increase frontend I/O ports and aggregated cache.
- B. Increases capacity and aggregated cache.
- C. Increases frontend network ports and capacity.
- D. Increases bandwidth inside the cluster and GbE links.

Correct Answer: C

[DES-1423 PDF Dumps](#)

[DES-1423 Study Guide](#)

[DES-1423 Exam Questions](#)