

DES-1721^{Q&As}

Specialist - Implementation Engineer-SC Series Exam

Pass EMC DES-1721 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/des-1721.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by EMC
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

How much memory does the Dell Storage Manager (DSM) Virtual Appliance require to manage seven SC Series arrays?

- A. 2 GB
- B. 4 GB
- C. 8 GB
- D. 16 GB

Correct Answer: B

QUESTION 2

DRAG DROP

Match the Snapshot type with the description related to Snapshot creation.

Select and Place:

<u>Type:</u>	<u>Description:</u>
VMware Snapshot	Replay Manager uses VSS to halt IO for associated volumes when creating a snapshot
Standard Snapshot	Halts all IO to associated volumes when creating a snapshot
SQL or Exchange Snapshot	Takes snapshots in series for associated volumes when creating a snapshot
Parallel Snapshot	Takes snapshots simultaneously for associated volumes when creating a snapshot
Consistent Snapshot	DSITV instructs Data Instant Replay to take a snapshot of the Dell SC volume

Correct Answer:

<u>Type:</u>	<u>Description:</u>
	VMware Snapshot
	Consistent Snapshot
	Standard Snapshot
	Parallel Snapshot
	SQL or Exchange Snapshot

Reference: <https://www.dell.com/storagehelp/dellstorageclient/2016R2/en-us/GUID-DDFF60E6-30F1-4CBE-9176-3B12C4249CCF.html>

QUESTION 3

What is the maximum number of Fault Domains on a SCv3000 Storage Center using SAS front-end?

- A. 1
- B. 2
- C. 3
- D. 4

Correct Answer: D

Reference: <https://www.dell.com/support/manuals/us/en/04/storage-scv3000/scv3000-scv3020-dg/fault-domains-for-scv3000-series-storage-systems?guid=guid-bc3640b7-c0b1-46bf-a95a-970e2a3f9abfandlang=en-us>

QUESTION 4

Which best practices should be followed when using iSCSI to connect SC Series arrays and hosts?

- A. Use dedicated switches for iSCSI. Two separate VLANS for multipathed iSCSI using separate IP subnets. Gigabit full duplex between Storage Center and all local servers.
- B. Use separate IP subnets for multipathed iSCSI separated by VLANS when using the same switch. Gigabit full duplex

between Storage Center and all local servers

C. Use separate switches for iSCSI. Two separate VLANs for multipathed iSCSI using separate IP subnets. Unicast and multicast storm control enabled on all iSCSI switches.

D. Use separate VLANs for multipathed iSCSI using separate IP subnets when using the same switch. Bi-directional flow control disabled between Storage Center and servers.

Correct Answer: D

QUESTION 5

A customer has a space of 20U available on the rack that already houses a SCv3020 array. How many expansion SCv360 enclosures can be installed in the available space?

A. 1

B. 2

C. 3

D. 4

Correct Answer: C

Reference: https://topics-cdn.dell.com/pdf/storage-scv360_owners-manual_en-us.pdf (67)

[DES-1721 Study Guide](#)

[DES-1721 Exam Questions](#)

[DES-1721 Braindumps](#)