

# DES-1721<sup>Q&As</sup>

Specialist - Implementation Engineer-SC Series Exam

**Pass EMC DES-1721 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/des-1721.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by EMC  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

Which component of the Dell Storage Manager (DSM) Suite's only purpose is to perform disaster recovery?

- A. Dell Storage Manager Remote Data Collector
- B. Dell Storage Manager Primary Data Collector
- C. Dell Storage Manager Server Agent
- D. Dell Storage Manager Client

Correct Answer: A

---

**QUESTION 2**

You recently added a second Storage Center to your network. Both systems were added to DSM, and you can ping the iSCSI ports of the remote system. You are planning to replicate between your two systems, but you cannot get the Replication Wizard to launch.

What item is missing?

- A. Data Progression is not running on both systems
- B. Deduplication is enabled on the source system
- C. Both systems do not have a QoS setting enabled
- D. Remote Instant Replay license has not been applied

Correct Answer: B

---

**QUESTION 3**

After an initial implementation of a SC Fibre Channel front-end, during the failover test one of the controllers gets reset. All Virtual WWNs from the reset controller are migrated to a single port of the remaining controller.

What corrective action should be taken?

- A. Check cabling, FC Zoning or Fault Domains for incorrect configuration and revise as needed
- B. Incorrect cables used, re-cable as needed
- C. This is the expected behavior and the test completed successfully
- D. FC zoning is not enabled, enable zone config

Correct Answer: A

---

**QUESTION 4**

In an SC Series environment, which Fibre Channel zoning method is more flexible?

- A. Port
- B. Single Initiator/Multi-Target
- C. Single Initiator/Single Target
- D. WWN

Correct Answer: D

---

**QUESTION 5**

Assume a storage administrator is using the recommended storage profile. What describes the distribution of volume data residing in an SC series storage array that has 15K and 7K as the back-end?

- A. New and frequently accessed replay data in Tier 1 RAID 5 Aged replay data and inaccessible data in Tier 3 RAID 6
- B. New data in Tier 1 RAID 10 Frequently accessed replay data in Tier 1 RAID 5 Aged replay data and inaccessible data in Tier 3 RAID 6
- C. New data in Tier 1 RAID 10 Frequently accessed replay data in Tier 2 RAID 5 Aged replay data and inaccessible data in Tier 3 RAID 6
- D. New and frequently accessed replay data in Tier 1 RAID 10 Aged replay data and inaccessible data in Tier 3 RAID 6

Correct Answer: B

[Latest DES-1721 Dumps](#)

[DES-1721 VCE Dumps](#)

[DES-1721 Practice Test](#)