

# DES-1B31<sup>Q&As</sup>

Specialist - Systems Administrator, Elastic Cloud Storage (ECS) Exam

**Pass EMC DES-1B31 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/des-1b31.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by EMC  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

Which component of ECS provides clustering and configuration management?

- A. Storage Engine
- B. Zookeeper
- C. Fabric
- D. Data Services

Correct Answer: C

---

**QUESTION 2**

A storage administrator is trying to create a new bucket using s3curl.pl. They use a URL pointing to their load balancer. The SSL connection is terminated on the load balancer.

What port number should be used at the command line?

- A. 9020
- B. 9021
- C. 9023
- D. 9025

Correct Answer: A

---

**QUESTION 3**

What is the correct sequence of steps to configure a NetWorker CloudBoost with ECS solution?

Select and Place:

Configure CloudBoost appliance in the EMC Cloud Portal	STEP 1
Create ECS object user and object user s3 password	STEP 2
Configure CloudBoost device in NetWorker	STEP 3
Create a Cloud Profile for ECS	STEP 4
Create a dedicated namespace for CloudBoost storage	STEP 5

Correct Answer:

	Create a Cloud Profile for ECS
	Create a dedicated namespace for CloudBoost storage
	Create ECS object user and object user s3 password
	Configure CloudBoost appliance in the EMC Cloud Portal
	Configure CloudBoost device in NetWorker

**QUESTION 4**

A company wants its x64 Linux backup data sent directly to ECS. Which supported and most efficient configuration would you recommend for this environment?

- A. Use a NetWorker storage node to receive x64 Linux NetWorker client data and send it to ECS
- B. Use a CloudBoost appliance as a NetWorker storage node to receive x64 Linux NetWorker client data and send it to ECS

C. Use Client Direct on the x64 Linux NetWorker client to send data to a CloudBoost appliance and then transfer it to ECS

D. Use Client Direct with CloudBoost agent on the x64 Linux Networker client to transfer data to ECS

Correct Answer: A

---

#### QUESTION 5

Which configuration task is optional in ECS when enabling DD Cloud Tier integration?

A. Create a special bucket to store DD Cloud Tier objects

B. Create a dedicated namespace for DD Cloud Tier objects

C. Create an object user account for DD Cloud Tier objects

D. Create a dedicated storage pool for DD Cloud Tier objects

Correct Answer: C

[DES-1B31 PDF Dumps](#)

[DES-1B31 Exam Questions](#)

[DES-1B31 Braindumps](#)