

DES-5221^{Q&As}

Specialist Implementation Engineer Data Center Networking Exam

Pass EMC DES-5221 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/des-5221.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by EMC
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

Which commands are required to properly configure an OS10 switch to run OSPF on eth1/1/3 and to add network 144.254.1.0/30 to OSPF area 0?

- A. OS10(config)# interface ethernet 1/1/3 OS10(config-if-eth1/1/3)# no shutdown OS10(config-if-eth1/1/3)# no switchport OS10(config-if-eth1/1/3)# ip address 144.254.1.2/30 OS10(config-if-eth1/1/3)# ip ospf 1 area 0.0.0.0 OS10(config)# router ospf 1
- B. OS10(config)# router ospf 1 OS10(config-router-ospf-1)# router-id 1.1.1.1 OS10(config)# interface ethernet 1/1/3 OS10(config-if-eth1/1/3)# no shutdown OS10(config-if-eth1/1/3)# no switchport OS10(config-if-eth1/1/3)# ip ospf 1 area 0.0.0.0
- C. OS10(config)# interface ethernet 1/1/3 OS10(config-if-eth1/1/3)# no shutdown OS10(config-if-eth1/1/3)# ip address 144.254.1.2/30 OS10(config-if-eth1/1/3)# no switchport OS10(config-if-eth1/1/3)# ip ospf 1 area 0.0.0.0 OS10(config)# router ospf 1
- D. OS10(config)# interface ethernet 1/1/3 OS10(config-if-eth1/1/3)# no shutdown OS10(config-if-eth1/1/3)# ip address 144.254.1.2/30 OS10(config-if-eth1/1/3)# no switchport OS10(config-if-eth1/1/3)# ip ospf 1 area 0.0.0.0 OS10(config-if-eth1/1/3)# router ospf 1

Correct Answer: C

QUESTION 2

What is an advantage of UFD?

- A. Reduces connectivity loss.
- B. Detects the loss of downstream connectivity.
- C. Reduces network complexity.
- D. Prevents the loss of upstream connectivity.

Correct Answer: D

QUESTION 3

Which configuration supports tagged frames on VLAN 20 and untagged frames on VLAN 5?

- A. interface ethernet 1/1/9 switchport trunk mode allowed vlan 20 switchport access mode vlan 5 no shutdown
- B. interface ethernet 1/1/9 switchport trunk allowed vlan 20 switchport access vlan 5 switchport mode trunk
- C. interface ethernet 1/1/9 switchport trunk mode allowed vlan 20 switchport access vlan 5 no shutdown
- D. interface ethernet 1/1/9 switchport mode trunk switchport trunk allowed vlan 20 switchport access vlan 5

Correct Answer: D

QUESTION 4

Which type of protocol is OSPF and what metric does it use to determine best path?

- A. Link-state protocol that uses a concept of cost as metric
- B. Hybrid protocol that uses hop count as a metric
- C. Path vector protocol that uses the Dijkstra algorithm as a metric
- D. Distance Vector protocol that uses bandwidth and delay as metric

Correct Answer: A

QUESTION 5

The network administrator wants to configure RADIUS authentication for VTY access, and for console access to use the local configuration. Which two commands should be used to achieve this goal?

- A. aaa authentication login vty group radius aaa authentication login console local
- B. aaa authentication login default group radius aaa authentication login console local
- C. aaa authentication login vty radius aaa authentication login console group local
- D. aaa authentication login default group radius aaa authentication login console group local

Correct Answer: B

[DES-5221 PDF Dumps](#)

[DES-5221 Exam Questions](#)

[DES-5221 Braindumps](#)