

DES-DD33^{Q&As}

Specialist - Systems Administrator, PowerProtect DD

Pass EMC DES-DD33 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.pass2lead.com/des-dd33.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by EMC
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



https://www.pass2lead.com/des-dd33.html 2024 Latest pass2lead DES-DD33 PDF and VCE dumps Download

| QUESTION 1 |
|--|
| A PowerProtect DD system is configured for VTL. The backup application requires a minimum tape capacity of 800 GiB. What is the minimum tape type to support this requirement? |
| A. LTO-3 |
| B. LTO-2 |
| C. LTO-5 |
| D. LTO-4 |
| Correct Answer: D |
| Reference: https://www.ibm.com/docs/en/ts4500-tape-library?topic=cartridges-capacity-supported-lto-tape |
| |
| QUESTION 2 |
| A PowerProtect DD appliance has been installed at a company\\'s location for several months and has reached a steady state. As a best practice, at what percentage of disk utilization should action be taken? |
| A. 60% |
| B. 70% |
| C. 80% |
| D. 95% |
| Correct Answer: C |
| |
| QUESTION 3 |
| |
| An administrator monitors the performance statistics of a PowerProtect DD appliance. Low disk-write rates are shown, and the network inbound traffic is high. What is the most likely cause of this behavior? |
| A. Expired segments |
| B. Known segments |
| C. Disk failure |
| D. NVRAM failure |
| Correct Answer: B |



https://www.pass2lead.com/des-dd33.html

2024 Latest pass2lead DES-DD33 PDF and VCE dumps Download

QUESTION 4

An administrator has retained snapshots for a single MTree and is trying to create a new one. An error message is received. What is the reason for the failure?

- A. The maximum number of snapshots has been exceeded
- B. The DDOS needs to be upgraded
- C. The user does not have the permission to retain more snapshots
- D. There are not enough snapshot licenses

Correct Answer: A

Explanation: The maximum number of snapshots allowed per MTree is 750. Warnings are sent when the number of snapshots per MTree reaches 90% of the maximum allowed number (from 675 to 749 snapshots), and an alert is generated

when the maximum number is reached. To clear the warning, expire snapshots and then run the file system cleaning operation.

Note: To identify an MTree that is nearing the maximum number of snapshots, check the Snapshots panel of the MTree page regarding viewing MTree snapshot information.

Reference: https://www.delltechnologies.com/asset/en-us/products/data-protection/technical-support/docu95865.pdf

QUESTION 5

An organization uses tape libraries in their current backup infrastructure. They have purchased a PowerProtect DD system and plan to use VTL to move from physical tape.

What is a consideration when configuring the tape size?

- A. Target multiple drives to write single stream
- B. Use multiple drives to write multiple streams
- C. Set retention periods for as long as possible
- D. Use larger tapes for multiple smaller datasets

Correct Answer: B

Latest DES-DD33 Dumps

DES-DD33 VCE Dumps

DES-DD33 Study Guide