

E20-807^{Q&As}

Expert - VMAX All Flash and VMAX3 Exam

Pass EMC E20-807 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass2lead.com/e20-807.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by EMC Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

- 😳 365 Days Free Update
- 800,000+ Satisfied Customers





QUESTION 1

In an SRDF/Metro environment, what is a requirement for an Array Witness?

- A. Witness RDF between the source and the target
- B. Witness RDF group on the witness array containing the source and the target SRDF/Metro devices
- C. One RDF group on the witness array to both the source and the target
- D. Two RDF groups on the witness array; one to the source and one to the target

Correct Answer: A

QUESTION 2

What is the best practice for FA utilization in a VMAX3 array?

- A. 50% busy with two engines
- B. 50% busy with more than two engines
- C. 50% busy with one engine
- D. 50% busy with two or more engines

Correct Answer: A

QUESTION 3

Alerts are required to track high I/O response times for a specific storage group. I/O response times greater than 15 ms require next day analysis. I/O response times greater than 20 ms require immediate intervention.

Which alert settings are required?

A. 1st level

Correct Answer: A

QUESTION 4

A company has two VMAX3 arrays located 100 km apart. The arrays are configured with SRDF/S over Fibre Channel. Which Dell EMC technology will improve FC replication between sites?

A. Fast Write



B. Deduplication

C. SiRT

D. Write Acceleration

Correct Answer: B

QUESTION 5

By default, how many days of the data are retained if Unisphere for VMAX is configured with a Root Cause Analysis Interval of 10 minutes?

A. 15

B. 30

C. 45

D. 60

Correct Answer: B

E20-807 Practice Test

E20-807 Study Guide

E20-807 Braindumps