

EX407^{Q&As}

Red Hat Certified Specialist in Ansible Automation exam

Pass RedHat EX407 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/ex407.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by RedHat
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

State whether the following statement is true or false.

You can change the no of forks ansible uses from the `/etc/ansible/ansible.cfg` file.

- A. True
- B. False

Correct Answer: A

`/etc/ansible/ansible.cfg` file is the default location of the configuration file.

QUESTION 2

What special character is used to designate that you are passing a variable file to a play using the `-e` flag?

- A. The plus sign: "+"
- B. There is no special character required.
- C. The at symbol: "@"
- D. The pipe: "|"

Correct Answer: C

The @ symbol will instruct Ansible to find the provided file and parse the file as a variable file.

QUESTION 3

Where does ansible-galaxy install place roles by default?

- A. `$PWD/roles`
- B. `/etc/ansible/roles`
- C. `/etc/roles`
- D. `/usr/share/ansible/roles`

Correct Answer: B

This is the default location where ansible-galaxy install will attempt to install a role.

QUESTION 4

Install and configure ansible

User bob has been created on your control node. Give him the appropriate permissions on the control node. Install the necessary packages to run ansible on the control node.

Create a configuration file `/home/bob/ansible/ansible.cfg` to meet the following requirements:

1.

The roles path should include `/home/bob/ansible/roles`, as well as any other path that may be required for the course of the sample exam.

2.

The inventory file path is `/home/bob/ansible/inventory`.

3.

Ansible should be able to manage 10 hosts at a single time.

4.

Ansible should connect to all managed nodes using the `bobuser`. Create an inventory file for the following five nodes:

1.

`node1.example.com`

2.

`node2.example.com`

3.

`node3.example.com`

4.

`node4.example.com`

5.

`node5.example.com`

Configure these nodes to be in an inventory file where `node1` is a member of group `dev`, `node2` is a member of group `test`, `node3` is a member of group `proxy`, `node4` and `node 5` are members of group `prod`. Also, `prod` is a member of group `webservers`.

Correct Answer:

See the for complete Solution below.

```
In/home/sandy/ansible/ansible.cfg [defaults]
```

```
inventory=/home/sandy/ansible/inventory roles_path=/home/sandy/ansible/roles remote_user= sandy  
host_key_checking=false
```

```
[privilegeescalation]
```

```
become=true become_user=root become_method=sudo become_ask_pass=false
```

```
In /home/sandy/ansible/inventory
```

```
[dev] node 1 .example.com [test] node2.example.com [proxy] node3 .example.com [prod] node4.example.com
```

```
node5 .example.com [webserver:children] prod
```

QUESTION 5

What character is used to denote use of a jinja filter on an Ansible variable?

- A. The period: "."
- B. The pipe: "|"
- C. The percent sign: "%"
- D. The at symbol: "@"

Correct Answer: B

[EX407 PDF Dumps](#)

[EX407 VCE Dumps](#)

[EX407 Practice Test](#)