

# H31-211<sup>Q&As</sup>

Huawei certified Network Associate - HCDA (Carrier IP)

### Pass Huawei H31-211 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.pass2lead.com/h31-211.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Huawei
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers





#### **QUESTION 1**

What are the coaxial cables that can be divided according to their diameter? (multiple choice)

- A. Thick coaxial cable
- B. Long coaxial cable short coaxial cable
- C. Short and thin coaxial cable
- D. Thin coaxial cable

Correct Answer: AD

#### **QUESTION 2**

In the configuration below, a PPP connection is configured and the IP address is dynamically assigned. After the link is successfully established, a direct route of 10.1.1.0/30 will appear in the routing table. [RTB] interface Serial 0[RTB-Serial0] link-protocol ppp [RTB-Serial0] ip address 10.1.1.2 30[RTBSerial0] remote address 10.1.1.1

- A. True
- B. False

Correct Answer: B

#### **QUESTION 3**

The network administrator is removing multiple VLANs from the switch. When the administrator enters the undo vlan 1 command, he receives an error message.

What is the cause of the error message?

- A. VLAN can only be deleted by the user who created it
- B. VLAN 1 can be deleted only after the role of VLAN 1 is assigned to other VLANs.
- C. The command was not entered correctly, resulting in a syntax error
- D. VLAN 1 is the default management VLAN and cannot be deleted.

Correct Answer: D

#### **QUESTION 4**

Which of the following topologies has a central control point, and the communication between devices is a point-to-point connection?



## https://www.pass2lead.com/h31-211.html

2024 Latest pass2lead H31-211 PDF and VCE dumps Download

| Α. | Rina |
|----|------|
|    |      |

B. Bus

C. Star

D. Tree shape

Correct Answer: C

#### **QUESTION 5**

Firewall generally needs to detect which scanning behavior () (multiple choice)

A. Port-scan

B. icmp-scan

C. udp-scan

D. tcp-synflood

Correct Answer: ABC

Latest H31-211 Dumps

H31-211 PDF Dumps

H31-211 Study Guide