

# HAAD-RN<sup>Q&As</sup>

HAAD Licensure Examination for Registered Nurses

**Pass HAAD HAAD-RN Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/haad-rn.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by HAAD  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



#### QUESTION 1

A patient is admitted to a hospital with acute renal failure. The patient wakes up complaining of abdominal pain. On assessment, the nurse observes edema to the patient's ankles and distended neck veins. The patient is dyspneic with a blood pressure of 200/96 mmHg. The proper nursing diagnosis for this patient is:

- A. Deficient fluid volume related to disease process
- B. Excess fluid volume related to decreased glomerular filtration rate
- C. Knowledge deficit related to proper medication regimen
- D. Acute pain related to renal edema

Correct Answer: B

---

#### QUESTION 2

When caring for a patient with acute pancreatitis, the patient is most likely to complain of pain which is:

- A. Severe and located in the left lower quadrant and radiating to the groin
- B. Burning and located in the epigastric area and radiating to the groin
- C. Severe and located in the epigastric area and radiating to the back
- D. Burning and located in the left lower quadrant and radiating to the back

Correct Answer: C

---

#### QUESTION 3

When preparing an eye medication, the nurse reads the order "OS". Medication is given into:

- A. Both eyes
- B. Left eye
- C. Right eye
- D. Infected eye

Correct Answer: B

---

#### QUESTION 4

A patient with a history of angina pectoris arrives in emergency complaining of headache, visual disturbances and feeling dizzy. Your nursing assessment also notes he looks flushed, is perspiring profusely and is experiencing palpitations. You should suspect:

- A. An overdose of sublingual nitroglycerin
- B. The onset of a myocardial infarction
- C. The patient has been over exercising
- D. The beginning of a severe chest infection

Correct Answer: A

---

#### QUESTION 5

When inserting a rectal suppository for a patient the nurse should?

- A. Insert the suppository while the patient performs the Valsalva maneuver
- B. Place the patient in a supine position
- C. Position the suppository beyond the muscle sphincter of the rectum
- D. Insert the suppository 1/2 inch into the rectum

Correct Answer: C

[HAAD-RN VCE Dumps](#)

[HAAD-RN Practice Test](#)

[HAAD-RN Braindumps](#)