

# HCE-3700<sup>Q&As</sup>

Hitachi Vantara Certified Expert - Performance architect

## Pass Hitachi HCE-3700 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/hce-3700.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Hitachi  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

A customer has an HDP pool with four array groups and 600 GB SAS drives operating at 85% utilization. Four array groups of the same configuration were added to the pool.

In this scenario, which metric should be reviewed to validate optimal pool performance?

- A. pool total IOPS
- B. pool I/O profile
- C. pool array group utilization
- D. pool read/write ratio

Correct Answer: C

---

**QUESTION 2**

Relocation cycles are regulatory failing to complete in an HDT implementation where the customer is also reporting lower than expected performance.

What should be done in this scenario?

- A. Change to Continuous mode and increase the monitor period cycle time.
- B. Change to Period mode and increase the monitor period cycle time.
- C. Change to Period mode and reduce the monitor period cycle time.
- D. Change to High-Performance mode and reduce the monitor period cycle time.

Correct Answer: B

---

**QUESTION 3**

A high level of writes to external storage is backing up into a VSP G1000 cache, creating a high write pending problem that is affecting other workloads.

Which three actions will help to minimize this problem? (Choose three.)

- A. Add more cache to the enterprise storage system.
- B. Add more cache in the external storage.
- C. Quarantine the LUNs in a separate cache partition.
- D. Set Cache Mode to "Disabled" for the external LUNs.
- E. Address the throughput constraints in the external storage.

Correct Answer: ABD

---

**QUESTION 4**

Your customer has a VSP G1000 with an HDT pool with two tiers (SAS 15K and SAS 10K). The response times have increased over time to an unacceptable level. They want to add a flash tier and they ask you if this solution will be appropriate.

Which tool should you use to satisfy the requirement?

- A. Hitachi Server Priority Manager
- B. Hitachi Tiered Storage Manager
- C. Hitachi Universal Volume Manager
- D. Tier Properties Performance Graph

Correct Answer: D

---

**QUESTION 5**

A user reports fluctuating LUN response times every day between 8:00 AM and 9:00 AM as users arrive and log in.

How do you identify this condition using Hitachi Tuning Manager?

- A. View LUN response times and RAID group utilization (% busy) averaged over the 60 minutes.
- B. View the random write counts every minute.
- C. View LUN response times and RAID group utilization (% busy) every minute.
- D. View LUN response times and correlate against the Cache Write Pending level every 15 minutes.

Correct Answer: A

[Latest HCE-3700 Dumps](#)

[HCE-3700 PDF Dumps](#)

[HCE-3700 Practice Test](#)