HCE-5420^{Q&As}

Hitachi Data Systems Certified Specialist - Content Platform

Pass Hitachi HCE-5420 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass2lead.com/hce-5420.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Hitachi Official Exam Center

⚙ **Instant Download** After Purchase

⚙ **100% Money Back** Guarantee

⚙ **365 Days** Free Update

⚙ **800,000+** Satisfied Customers

QUESTION 1

In the event of a HCP 500 node failure, which LUN configuration will protect access to a given set of data LUNs?

A. dynamic multi-pathing

B. Data Protection Level 2

C. Zero Copy Failover

D. HCP LUN replicator

Correct Answer: C

QUESTION 2

Which OS LUN size do all HCP 300 configurations use?

A. 20 GB

B. 30 GB

C. 50 GB

D. 400 GB

Correct Answer: B

QUESTION 3

A customer wants to use HCP encryption to ensure the privacy of data as required for compliance with certain government regulations. The customer wants to use HCP encryption. Which two considerations must the customer take into account? (Choose two.)

A. The HCP encryption feature can be disabled at any time once the HCP is encrypted.

B. HCP encryption can only be enabled during system installation.

C. Once encrypted, the HCP remains encrypted throughout its lifetime.

D. HCP encryption can be enabled after the system is installed.

Correct Answer: BC

QUESTION 4

You are configuring an AMS 2000 system to be part of a HCP 500 appliance solution. Which types and numbers of LUNs are required per HCP node as a minimum configuration?

A. two OS; two data LUNs

B. one OS; two data LUNs

C. one OS; one data LUN

D. two OS; two data LUNs

Correct Answer: B

QUESTION 5

A customer asks you to deploy a HCP. They want to have three HCP tenants for three Active Directory organization units and two HCP tenants for two UNIX groups. They plan to use Active Directory authentication for CIFS users and UNIX authentication for NFS users. What do you tell the customer?

A. You can configure CIFS and NFS in accordance to the plan.

B. CIFS and NFS cannot be configured for tenants.

C. You can configure for either CIFS or NFS, but not both.

D. RADIUS servers are required before you can configure CIFS and NFS in accordance to the plan.

Correct Answer: B

Latest HCE-5420 Dumps   HCE-5420 Study Guide   HCE-5420 Exam Questions