

HCE-5710^{Q&As}

Architecting Hitachi Data Systems Certified Expert - Replication solutions

Pass Hitachi HCE-5710 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/hce-5710.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Hitachi Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

A customer has a server cluster, what are two features of a quorum disk? (Choose two.)

- A. It must reside on a RAID disk.
- B. It must be accessible by all nodes.
- C. It contains the status of all nodes in a cluster.
- D. A copy must always be available to all nodes.

Correct Answer: BC

QUESTION 2

The Hitachi Storage Cluster (HSC) with Windows 2003 uses which method to prevent "Split Brain Syndrome"?

- A. majority node sets
- B. shared quorum disk
- C. extended SAN with multiple quorum disks
- D. -quorum parameter for horctakeover

Correct Answer: A

QUESTION 3

A customer is using ShadowImage to replicate an online database on a UNIX server. The ShadowImage pairs are suspended and the secondary volumes are presented to a recovery server. What are two steps that must be performed prior to starting the database on the recovery server? (Choose two.)

- A. Import the volume/disk group.
- B. Perform a fsck on each file system.
- C. Roll the replicated database logs forward.
- D. Change the IP address of the recovery server.

Correct Answer: AB

QUESTION 4

A customer wants to replicate a database on a UNIX host with Universal Replicator but exclude the temporary and backup file systems to reduce the replication workload. What should be reviewed to ensure this is possible?

- A. SAN zone layout map
- B. file system usage report
- C. database relationship map
- D. volume/disk group volume layout

Correct Answer: D

QUESTION 5

A ShadowImage CCI environment has been scripted so that the pairs resynchronize and suspend each hour using the latest version of CCI. ShadowImage has been configured to use consistency groups and At-Time Split. The ShadowImage CCI device group name is SI_db01. Which CCI command should be included in the script following the pairresync command to allow time for the ShadowImage pairs to be fully resynchronized?

- A. pairvolchk -g SI_db01 -c -ss -nomsg
- B. pairvolchk -g SI_db01 -c -ss -t 3600
- C. pairevwait -g SI_db01 -s pair -nowait
- D. pairevwait -g SI_db01 -ss pair -t 3600

Correct Answer: D

[HCE-5710 VCE Dumps](#)

[HCE-5710 Practice Test](#)

[HCE-5710 Braindumps](#)